

Recombinant Human GSTA2 Protein, GST-tagged

Cat. No. GSTA2-4410H Lot. No. (See product label)

SPECIFICATION

Product Overview	Human GSTA2 full-length ORF (NP_000837.2, 1 a.a. - 222 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	Wheat Germ
Description	Cytosolic and membrane-bound forms of glutathione S-transferase are encoded by two distinct supergene families. These enzymes function in the detoxification of electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins and products of oxidative stress, by conjugation with glutathione. The genes encoding these enzymes are known to be highly polymorphic. These genetic variations can change an individuals susceptibility to carcinogens and toxins as well as affect the toxicity and efficacy of some drugs. At present, eight distinct classes of the soluble cytoplasmic mammalian glutathione S-transferases have been identified: alpha, kappa, mu, omega, pi, sigma, theta and zeta. This gene encodes a glutathione S-transferase belonging to the alpha class. The alpha class genes, located in a cluster mapped to chromosome 6, are the most abundantly expressed glutathione S-transferases in liver. In addition to metabolizing bilirubin and certain anti-cancer drugs in the liver, the alpha class of these enzymes exhibit glutathione peroxidase activity thereby protecting the cells from reactive oxygen species and the products of peroxidation. [provided by RefSeq
Molecular Mass	52.1 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	MAEKPKLHYSNIRGRMESIRWLLAAAGVEFEEKFIKSAEDLDKLRNDGYLMFQQVP MVEIDGMKLVQTRAILNYIASKYNLYGKDIKEKALIDMYIEGIADLGEMILLLPFTQPEE QDAKLALIQEKTKNRYFPFAFEKVLKSHGQDYL VG NKLSRADIHLVELLYYVEELDSSLI SSFPLLKALKTRISNLPTVKKFLQPGSPRKPPMDEKSLEESRKIFRF
Applications	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production Protein Array
Notes	Best use within three months from the date of receipt of this protein.
Storage	Store at -8 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
GENE INFORMATION	
Gene Name	GSTA2 glutathione S-transferase alpha 2 [Homo sapiens]
Official Symbol	GSTA2
Synonyms	GSTA2; glutathione S-transferase alpha 2; glutathione S transferase A2 , GST2; glutathione S-transferase A2; GST-gamma; liver GST2; GST HA subunit 2; GST class-alpha member 2; glutathione S-aryltransferase A2; glutathione S-alkyltransferase A2; glutathione S-aralkyltransferase A2; S-(hydroxyalkyl)glutathione lyase A2; GST2; GTA2; GTH2; GSTA2-2; MGC10525;
Gene ID	2939
mRNA Refseq	NM_000846

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq NP_000837

MIM 138360

UniProt ID P09210

**Quality Control
Testing**



12.5% SDS-PAGE Stained with Coomassie Blue.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA