

Active Recombinant Mouse Interleukin 1 Receptor, Type I, Fc-tagged

Cat. No. Il1r1-5653M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Il1r1 protein was expressed in Murine myeloma cell line with the Fc part of Human IgG1 Pro100-Lys330 (C-terminus) and Mouse Il1r1 Leu20-Lys338 (N-terminus).
Species	Mouse
Source	Mammalian Cells
Protein Length	20-338 a.a.
Description	Il1r1 is an 80 kDa transmembrane protein that is expressed predominantly by T cells, fibroblasts, and endothelial cells. IL-1 receptor Type II is a 68 kDa transmembrane protein found on B lymphocytes, neutrophils, monocytes, large granular leukocytes and endothelial cells. Both receptors are members of the immunoglobulin superfamily and show approximately 28% sequence identity in their extracellular domains. The two receptor types do not heterodimerize into a receptor complex. Mouse Il1r1 shares 63% amino acid sequence homology with human Il1r1 in their extracellular domains.
Form	Lyophilized from a 0.2 µm filtered solution in PBS.
N-terminal Sequence	Leu20
Molecular Weight	63.8 kDa (monomer)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Activity	Measured by its ability to inhibit IL-1 α -dependent proliferation in D10.G4.1 mouse helper T cells. Approximately 0.005-0.015 μ g/mL of IL-1 sRI/Fc will inhibit 50% of the biological response due to 50 pg/mL of rIL-1 α .
Endotoxin Level	<1.0 EU per 1 μ g of the protein by the LAL method.
SDS-PAGE	95-110 kDa, reducing conditions.
Purity	>90%, by SDS-PAGE under reducing conditions and visualized by silver stain.
Reconstitution	100 μ g/mL in sterile PBS
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 1 month, 2 to 8°C under sterile conditions after reconstitution. 3 months, -20 to -70°C under sterile conditions after reconstitution.

GENE INFORMATION

Gene Name	Il1r1 interleukin 1 receptor, type I [<i>Mus musculus</i>]
Official Symbol	Il1r1
Synonyms	Il1r1; interleukin 1 receptor, type I; IL-1R; CD121a; CD121b; Il1r-1; interleukin-1 receptor type 1; p80; IL-1R-1; IL-1RT1; IL-1RT-1; IL-1R-alpha; IL-1 receptor alpha chain; interleukin-1 receptor alpha; interleukin-1 receptor type I; CD121 antigen-like family member A
Gene ID	16177
mRNA Refseq	NM_001123382

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_001116854
UniProt ID	Q4FK69
Chromosome Location	1
Pathway	Amoebiasis;Apoptosis; Cytokine-cytokine receptor interaction; HTLV-I infection;Hematopoietic cell lineage; Hypertrophy Model; IL-1 Signaling Pathway; MAPKsignaling pathway; Osteoclast differentiation
Function	interleukin-1receptor activity; interleukin-1, Type I, activating receptor activity;ionotropic glutamate receptor binding; platelet-derived growth factorreceptor binding; protease binding; protein binding; receptor activity;signal transducer activity; transmembrane signaling receptor activity

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA