

Recombinant Human NPR1 Protein, His-tagged

Cat. No. NPR1-1299H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human NPR1 Protein (NP_000897.3)(33-473aa) was expressed in yeast with N-terminal His tag.
Species	Human
Source	Yeast
ProteinLength	33-473aa
Description	Guanylyl cyclases, catalyzing the production of cGMP from GTP, are classified as soluble and membrane forms (Garbers and Lowe, 1994 [PubMed 7982997]). The membrane guanylyl cyclases, often termed guanylyl cyclases A through F, form a family of cell-surface receptors with a similar topographic structure: an extracellular ligand-binding domain, a single membrane-spanning domain, and an intracellular region that contains a protein kinase-like domain and a cyclase catalytic domain. GC-A and GC-B function as receptors for natriuretic peptides; they are also referred to as atrial natriuretic peptide receptor A (NPR1) and type B (NPR2; MIM 108961). Also see NPR3 (MIM 108962), which encodes a protein with only the ligand-binding transmembrane and 37-amino acid cytoplasmic domains. NPR1 is a membrane-bound guanylate cyclase that serves as the receptor for both atrial and brain natriuretic peptides (ANP (MIM 108780) and BNP (MIM 600295), respectively).
Form	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.

Molecular Mass 50.4kDa

AA Sequence

GNLTVAVVLPLANTSYPWSWARVGPVELALAQVKARPDLLPGWTVRTVLGSSENA
LGVCSDTAAPLAVDLKWEHNPAVFLGPGCVYAAAPVGRFTAHWRVPLLTAGAPAL
GFGVKDEYALTTRAGPSYAKLGDFVAALHRRLGWERQALMLYAYRPGDEEHCFLL
VEGLFMRVRDRLNITVDHLEFAEDDLSHYTRLLRTMPRKGRVIYICSSPDARTLMLL
ALEAGLCGEDYVFFHLDIFGQSLQGGQGPAPRRPWERGQDV SARQAFQAAKIIT
YKDPDNPEYLEFLKQLKHLAYEQFNFTMEDGLVNTIPASFHDGLLLYIQAVTETLAHG
GTVTDGENITQRMWNRSFQGVGTGYLKIDSSGDRETD FSLWMDMPENGAFRVVLNY
NGTSQELVAVSGRKLNWPLGYPPPDIPKCGFDNEDPACNQDHLSTLE

Purity Greater than 90% as determined by SDS-PAGE.

Notes Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.

Storage Store at -20°C upon receipt, aliquoting is necessary for multiple use. Avoid repeated freeze-thaw cycles.

Reconstitution We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

GENE INFORMATION

Gene Name [NPR1 natriuretic peptide receptor A/guanylate cyclase A \(atrioatriuretic peptide](#)

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

receptor A) [Homo sapiens]

Official Symbol	NPR1
Synonyms	ANPa; NPRA; ANPRA; GUC2A; GUCY2A
Gene ID	4881
mRNA Refseq	NM_000906.3
Protein Refseq	NP_000897.3
MIM	108960
UniProt ID	P16066

SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA