

Active Recombinant Human Heparan Sulfate (glucosamine) 3-O-Sulfotransferase 4, His-tagged

Cat. No. HS3ST4-1971H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human HS3ST4 protein was expressed in Chinese Hamster Ovary cell line. Gly184-Lys456, with an N-terminal 6-His tag.
Species	Human
Source	CHO
Protein Length	184-456 a.a.
Description	Heparan sulfate is a highly sulfated polysaccharide that can be found on the cell surface and within the extracellular matrix. It is typically covalently attached to the protein core of proteoglycans, such as syndecans and glypicans. Heparin, on the other hand, can be considered as a highly sulfated version of heparan sulfate that is predominantly found in mast cells. Both heparin and heparan sulfate contain disaccharide repeats of uronic acid and N-acetylglucosamine and are modified by the same sulfotransferases. The uronic acid residues can be sulfated at the 2-O position by heparin sulfate 2-O sulfotransferase (HS2ST). The N-acetylglucosamine residues can be sulfated at the N, 3-O, and 6-O positions by N-deacetylase/ N-sulfotransferases (NDSTs), heparan sulfate 3-O sulfotransferases (HS3STs) and heparan sulfate 6-O sulfotransferases (HS6STs) respectively. There are seven HS3STs in the human genome.
Form	Supplied as a 0.2 µm filtered solution in Tris, NaCl and Glycerol.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

N-terminalSequence	HHHHHHGGAV
MolecularWeight	32 kDa
Activity	Measuredby its ability to transfer sulfate from PAPS to heparan sulfate. The specificactivity is > 5 pmoles/min/μg, as measured under the described conditions.
Endotoxin Level	<1.0EU per 1μg of the protein by the LAL method.
SDS-PAGE	35-43kDa, reducing conditions.
Purity	>95%,by SDS-PAGE under reducing conditions and visualized by Colloidal CoomassieBlue stain at 5 ug per lane.
Storage	Use amanual defrost freezer and avoid repeated freezethaw cycles. 6 monthsfrom date of receipt, -20 to -70°C as supplied. 3 months,-20to-70°C under sterile conditions after opening.

GENE INFORMATION

Gene Name	HS3ST4 heparan sulfate(glucosamine) 3-O-sulfotransferase 4 [Homo sapiens]
Official Symbol	HS3ST4
Synonyms	HS3ST4; heparansulfate (glucosamine) 3-O-sulfotransferase 4; 3OST4;3OST4; 3-OST-4; h3-OST-4; heparan sulfate glucosamine3-O-sulfotransferase 4; heparan sulfate 3-O-sulfotransferase 4; heparansulfate D-glucosaminyI 3-O-sulfotransferase 4; EC 2.8.2.23
Gene ID	9951

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_006040
Protein Refseq	NP_006031
MIM	604059
UniProt ID	Q9Y661
Chromosome Location	16p11.2
Function	[heparansulfate]-glucosamine 3-sulfotransferase 1 activity; sulfotransferase activity;transferase activity

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA