

Recombinant Mouse Dhh protein

Cat. No. Dhh-393M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Dhh protein was expressed in Escherichia coli.
Species	Mouse
Source	E.coli
ProteinLength	177
Description	This gene encodes a member of the hedgehog family. The hedgehog gene family encodes signaling molecules that play an important role in regulating morphogenesis. This protein is predicted to be made as a precursor that is autocatalytically cleaved; the N-terminal portion is soluble and contains the signalling activity while the C-terminal portion is involved in precursor processing. More importantly, the C-terminal product covalently attaches a cholesterol moiety to the N-terminal product, restricting the N-terminal product to the cell surface and preventing it from freely diffusing throughout the organism. Defects in this protein have been associated with partial gonadal dysgenesis (PGD) accompanied by minifascicular polyneuropathy. This protein may be involved in both male gonadal differentiation and perineurial development.
Form	Lyophilized from a 0.2µm filtered concentrated solution in PBS, pH 7.4, 1 mM DTT, 0.05 % Tween-80.
Bio-activity	Fully biologically active when compared to standard. The ED50 as determined by its ability to induce alkaline phosphatase production by murine MC3T3-E1 cells is 5-20

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	µg/ml.
Molecular Mass	Approximately 20.0 kDa, a single non-glycosylated polypeptide chain containing 177 amino acids.
AA Sequence	IIGPGRGPVGRRRYVRKQLVPLLYKQFVPSMPERTLGASGPAEGRVTRGSEFRDL VPNYNPDIIFKDEENSGADRLMTERCKERVNALAIAMNMWPGVRLRVTEGWDED GHHAQDSLHYEGRALDITTSRDRNKYGLLARLAVEAGFDWVYYESRNHIHVSVKA DNSLAVRAGG
Endotoxin	Less than 0.1 EU/µg of rMuDHH C23II as determined by LAL method.
Purity	>98% by SDS-PAGE and HPLC analysis.
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤-20 centigrade. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name	Dhh
Official Symbol	Dhh

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	DHH; desert hedgehog; desert hedgehog protein; HHG-3; C78960; MGC73610;
Gene ID	13363
mRNA Refseq	NM_007857
Protein Refseq	NP_031883
UniProt ID	Q61488

SDS-PAGE of Dhh-393M

