

Recombinant Human F12 Protein, GST-tagged

Cat. No. F12-3606H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human F12 full-length ORF (AAH12390, 1 a.a. - 300 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	Wheat Germ
Description	This gene encodes coagulation factor XII which circulates in blood as a zymogen. This single chain zymogen is converted to a two-chain serine protease with an heavy chain (alpha-factor XIIa) and a light chain. The heavy chain contains two fibronectin-type domains, two epidermal growth factor (EGF)-like domains, a kringle domain and a proline-rich domain, whereas the light chain contains only a catalytic domain. On activation, further cleavages takes place in the heavy chain, resulting in the production of beta-factor XIIa light chain and the alpha-factor XIIa light chain becomes beta-factor XIIa heavy chain. Prekallikrein is cleaved by factor XII to form kallikrein, which then cleaves factor XII first to alpha-factor XIIa and then to beta-factor XIIa. The active factor XIIa participates in the initiation of blood coagulation, fibrinolysis, and the generation of bradykinin and angiotensin. It activates coagulation factors VII and XI. Defects in this gene do not cause any clinical symptoms and the sole effect is that whole-blood clotting time is prolonged. [provided by RefSeq, Jul 2008]
Molecular Mass	58.74 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	MPAQPAPPKPQPTTRTPPQSQTGALPAKREQPPSLTRNGPLSCGQRLRKSLSM TRVVGGLVALRGAPYIAALYWGHSCAGSLIAPCWVLTAAHCLQDRPAPEDLTVVL GQERRNHSCEPCQTLAVRSYRLHEAFSPVSYQHDLALLRLQEDADGSCALLSPYVQ PVCLPSGAARPSETTLCQVAGWGHQFEGAEYASFLQEAQVPFLSLERCSAPDVH GSSILPGMLCAGFLEGGTDACQGDGGPLVCEDQAAERRLTQGIISWGS GCGDR NKPGVYTDVAYYLAWIREHTVS
Applications	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production Protein Array
Notes	Best use within three months from the date of receipt of this protein.
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
GENE INFORMATION	
Gene Name	F12 coagulation factor XII (Hageman factor) [Homo sapiens]
Official Symbol	F12
Synonyms	F12; coagulation factor XII (Hageman factor); coagulation factor XII; Hageman factor; beta-factor XIIa part 1; beta-factor XIIa part 2; coagulation factor XIIa heavy chain; coagulation factor XIIa light chain; HAF; HAE3; HAEX;
Gene ID	2161
mRNA Refseq	NM_000505

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq NP_000496

MIM 610619

UniProt ID P00748

**Quality Control
Testing**



12.5% SDS-PAGE Stained with Coomassie Blue.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA