

Active Recombinant Human Leucine Rich Repeat And Fibronectin Type III Domain Containing 3, His-tagged

Cat. No. LRFN3-486H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinanthuman LRFN3 protein with a C-terminal 6-His tag was expressed in Murine myeloma cell line, NS0-derived. Ser17 - Met539.
Species	Human
Source	Mammalian Cells
ProteinLength	17-539 a.a.
Description	LRFN3 is an approximately 90 kDa member of the Lrfr family of type I transmembraneglycoproteins. Human LRFN3 is synthesized as a 628 amino acid (aa) precursor that contains a 16 aa signal sequence, a 523 aa extracellular domain (ECD), a 21 aa transmembrane region, and a 68 aa cytoplasmic region. The ECD consists of six leucine rich repeats (LRR), an IgC2 like domain, and a fibronectin type III domain, tandemly aligned in that order.
Form	Lyophilized from a 0.2 µm filtered solution in PBS.
N-terminalSequence	Ser17
MolecularWeight	56.3 kDa
Activity	Measured by the ability of the immobilized protein to support the adhesion of Neuro2a mouse neuroblastoma cells (ATCC: CCL131). When 5 x 10 ⁴ cells/well are added

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

torhSALM4 coated plates (2.5 µg/mL, 100 µL/well), approximately 50% 70% will adhere after 30 minutes at 37 °C. Optimal dilutions should be determined by each laboratory for each application.

Endotoxin Level <1.0 EU per 1 µg of the protein by the LAL method.

Purity >90%, by SDS-PAGE under reducing conditions and visualized by silver stain.

Reconstitution Reconstitute at 200 µg/mL in PBS.

Storage Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 1 month, 2 to 8 °C under sterile conditions after reconstitution. 3 months, -20 to -70°C under sterile conditions after reconstitution.

GENE INFORMATION

Gene Name LRFN3 leucine rich repeat and fibronectin type III domain containing 3 [Homo sapiens]

Official Symbol LRFN3

Synonyms LRFN3; leucine rich repeat and fibronectin type III domain containing 3; SALM4; FIGLER1; leucine-rich repeat and fibronectin type-III domain-containing protein 3; synaptic adhesion-like molecule 4; fibronectin type III, immunoglobulin and leucine rich repeat domains 1

Gene ID 79414

mRNA Refseq NM_024509

Protein Refseq NP_078785

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	612809
UniProt ID	Q9BTN0
Chromosome Location	19q13.13

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA