

Recombinant Human Aldehyde Dehydrogenase 4 Family, Member A1, GST-tagged

Cat. No. ALDH4A1-499H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human ALDH4A1 protein was expressed as GST-tagged fusion proteins by E. coli and purified by GSH-sepharose. The purified ALDH4A1 was resolved in 1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8) added with 100mM GSH and 1% Triton X-100, 15% glycerol.
Species	Human
Source	E.coli
Description	Delta-1-pyrroline-5-carboxylate dehydrogenase, mitochondrial is an enzyme that in humans is encoded by the ALDH4A1 gene. This protein belongs to the aldehyde dehydrogenase family of proteins. This enzyme is a mitochondrial matrix NAD-dependent dehydrogenase that catalyzes the second step of the proline degradation pathway, converting pyrroline-5-carboxylate to glutamate. Deficiency of this enzyme is associated with type II hyperprolinemia, an autosomal recessive disorder characterized by accumulation of delta-1-pyrroline-5-carboxylate (P5C) and proline. Two transcript variants encoding the same protein have been identified for this gene.
Antigen Peptide	C-term-351aa
Full Length	False
Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8) added with 100mM GSH and 1% Triton X-100, 15% glycerol.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage The protein is stored in PBS at -20°C. Repeated freeze-thaw cycles should be avoided.

GENE INFORMATION

Gene Name [ALDH4A1 aldehyde dehydrogenase 4 family, member A1 \[Homo sapiens \]](#)

Official Symbol [ALDH4A1](#)

Synonyms ALDH4A1; aldehyde dehydrogenase4 family, member A1; P5CD; ALDH4; P5CDh; DKFZp779M035; delta-1-pyrroline-5-carboxylate dehydrogenase, mitochondrial; P5C dehydrogenase; OTTHUMP00000002544; OTTHUMP00000002545; OTTHUMP00000002546; aldehyde dehydrogenase family 4 member A1; mitochondrial delta-1-pyrroline-5-carboxylate dehydrogenase; P5C; P5CDH; EC1.5.1.12

Gene ID [8659](#)

mRNA Refseq [NM_001161504](#)

Protein Refseq [NP_001154976](#)

MIM [606811](#)

UniProt ID [P30038](#)

Chromosome Location 1p36

Pathway 4-hydroxyproline degradation I; Alanine, aspartate and glutamate metabolism; Alanine and proline metabolism; Metabolic pathways; metabolism; metabolism of amino acids and derivatives; proline catabolism; arginine degradation I (arginase pathway); proline

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

degradation

Function

1-pyrroline-5-carboxylate dehydrogenase activity; aldehydedehydrogenase (NAD) activity; electron carrier activity; oxidoreductaseactivity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA