

Recombinant Human NAXD Protein, GST-tagged

Cat. No. NAXD-4221H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human FLJ10769 full-length ORF (AAH41028.1, 1 a.a. - 347 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	Wheat Germ
Description	NAXD (NAD(P)HX Dehydratase) is a Protein Coding gene. Among its related pathways are NAD metabolism and Metabolism of water-soluble vitamins and cofactors.
Molecular Mass	63 kDa
AA Sequence	MVTRAGAGTAVAGAVVVALLSAALALYGPPLDAVLERAFSLRKAHSIKDMENTLQLV RNIIPPLSSTKHKGQDGRIGVVGGCQEYTGAPYFAAISALKVGADLSHVFCASAAAP VIKAYSPELIVHPVLDSPNAVHEVEKWLPRLHALVVGPGGLGRDDALLRNVQGILEVSK ARDIPVVIDADGLWLVAQQPALIHGYRKAVLTPNHVEFSRLYDAVLRGPMDSDDSHG SVLRLSQALGNVTVVQKGERDILSNGQQVLVCSQEGSSRRCGGQGDLLSGSLGVL VHWALLAGPQKTNGSSPLLVAAFGACSLTRQCNHQAFQKHGRSTTTSDMIAEVGAA FSKLFET
Applications	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production Protein Array


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Notes	Best use within three months from the date of receipt of this protein.
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
GENE INFORMATION	
Gene Name	NAXD NAD(P)HX dehydratase [Homo sapiens (human)]
Official Symbol	NAXD
Synonyms	NAXD; NAD(P)HX dehydratase; CARKD; LP3298; ATP-dependent (S)-NAD(P)H-hydrate dehydratase; ATP-dependent NAD(P)H-hydrate dehydratase; ATP-dependent NAD(P)HX dehydratase; carbohydrate kinase domain containing; carbohydrate kinase domain-containing protein; EC 4.2.1.93
Gene ID	55739
mRNA Refseq	NM_001242881
Protein Refseq	NP_001229810
MIM	615910
UniProt ID	Q8IW45

**Quality Control
Testing**



12.5% SDS-PAGE Stained with Coomassie Blue.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA