

Recombinant Human REG4, His-tagged

Cat. No. REG4-194H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human regenerating islet-derived family, member 4 (His-tagged) contains 136 amino acids and has a molecular mass of 17.4 kDa. And this protein expressed in <i>E.Coli</i> .
Species	Human
Source	E.coli
Description	REG protein was shown to be stimulated during the regeneration of pancreatic islets. Since then, many Reg-related proteins have been identified in humans and other animals. In human, the four REG family genes, i.e., REG 1 alpha, REG 1 beta, REG-related sequence (RS) and HIP/PAP, have so far been isolated. These Reg-related proteins are classified into four subfamilies according to their amino-acid sequences, but they share a similar structure and physiological function. Reg protein is a growth factor for pancreatic beta cells and also suggest that the administration of Reg protein could be used as another therapeutic approach for diabetes mellitus. human REG cDNA which encoded a 166-amino acid protein with a 22-amino acid signal peptide. The amino acid sequence of human REG protein has 68% homology to that of rat Reg protein. Reg I was found to be expressed mainly in pancreatic beta and acinoductular cells as well as gastric fundic enterochromaffin-like (ECL) cells. Reg I production in ECL cells is stimulated by gastrin, as well as by the proinflammatory cytokine, cytokine-induced neutrophil chemoattractant (CINC)-2Beta.
Sequences Of Amino Acids	MKHHHHHHAS HMDIIMRPSC APGWFYHKS N CYGYFRKL RN WSDAELECQS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

YGNGAHLASI LSLKEASTIA EYISGYQRSQ PIWIGLHDPQ KRQQWQWIDG
 AMYLYRSWSG KSMGGNKHC AEMSSNNFLT WSSNECNKRQ HFLCKYRP.

Specificity	The amino acid sequence of the recombinant Human REG IV is 100% homologous to the amino acid sequence of the Human REG IV without signal sequence.
Purification Method	Ni-NTA chromatography.
Purity	>95% (SDS-PAGE analyzed).
Formulation	Sterile filtered and lyophilized from 0.5 mg/ml in 20 mM Tris , pH 8.0.
Reconstitution	Add 0.2 ml of deionized H ₂ O and let the lyophilized pellet dissolve completely.
Stability/Shelf Life	The lyophilized protein remains stable until the expiry date when stored at -20°C.
Applications	Western blotting, ELISA.
Storage	Store lyophilized protein at -20°C. Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles. Reconstituted protein can be stored at 4°C for a limited period of time; it does not show any change after two weeks at 4°C.

GENE INFORMATION

Gene Name	REG4 regenerating islet-derived family, member 4 [Homo sapiens]
Synonyms	REG4; GISP; REG-IV; RELP; OTTHUMP00000014030; OTTHUMP00000014031; Reg IV; REG-like protein; regenerating gene type IV; Gastrointestinal secretory protein; regenerating islet-derived family, member 4; Regenerating islet-derived family, member 4

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID	83998
mRNA Refseq	NM_001159352
Protein Refseq	NP_001152824
MIM	609846
UniProt ID	Q9BYZ8
Chromosome Location	1p13.1-p12
Function	binding; sugar binding

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA