

# Recombinant Human WTAP Protein, His-tagged

**Cat. No.** WTAP-447H    **Lot. No.** (See product label)

## SPECIFICATION

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Overview</b> | Recombinant Human WTAP(Met1~Asp150) fused with His tag at N-terminal was expressed in E. coli.                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Species</b>          | Human                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Source</b>           | E.coli                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>ProteinLength</b>    | Met1~Asp150                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Description</b>      | The Wilms tumor suppressor gene WT1 appears to play a role in both transcriptional and posttranscriptional regulation of certain cellular genes. This gene encodes a WT1-associating protein, which is a ubiquitously expressed nuclear protein. Like WT1 protein, this protein is localized throughout the nucleoplasm as well as in speckles and partially colocalizes with splicing factors. Alternative splicing of this gene results in several transcript variants encoding three different isoforms. |
| <b>Form</b>             | PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Molecular Mass</b>   | 21.3kDa                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Endotoxin</b>        | <1.0EU per 1ug (determined by the LAL method)                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purity</b>           | > 95%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Applications</b>     | Positive Control; Immunogen; SDS-PAGE; WB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

If bio-activity of the protein is needed, please check active protein

**Stability**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

**Storage**

Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.

**Reconstitution**

Reconstitute in PBS or others

## GENE INFORMATION

**Gene Name**

WTAP Wilms tumor 1 associated protein [ Homo sapiens ]

**Official Symbol**

WTAP

**Synonyms**

WTAP; Wilms tumor 1 associated protein; pre-mRNA-splicing regulator WTAP; KIAA0105; MGC3925; hFL(2)D; PNAS-132; WT1-associated protein; female-lethal(2)D homolog; wilms tumor 1-associating protein; Wilms tumour 1-associating protein; putative pre-mRNA splicing regulator female-lethal(2D); DKFZp686F20131;

**Gene ID**

9589

**mRNA Refseq**

NM\_004906

**Protein Refseq**

NP\_004897

**MIM**

605442


 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

Q15007

 Tel: 1-631-559-9269 1-516-512-3133 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA