

Recombinant Human DST Protein, His-tagged

Cat. No. DST-688H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human DST(Met1~Thr252) fused with His tag at N-terminal was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Met1~Thr252
Description	This gene encodes a member of the plakin protein family of adhesion junction plaque proteins. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for this gene, but the full-length nature of some variants has not been defined. It has been reported that some isoforms are expressed in neural and muscle tissue, anchoring neural intermediate filaments to the actin cytoskeleton, and some isoforms are expressed in epithelial tissue, anchoring keratin-containing intermediate filaments to hemidesmosomes. Consistent with the expression, mice defective for this gene show skin blistering and neurodegeneration.
Form	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Molecular Mass	31.1kDa
Endotoxin	<1.0EU per 1ug (determined by the LAL method)
Purity	> 95%

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	Positive Control; Immunogen; SDS-PAGE; WB. If bio-activity of the protein is needed, please check active protein
Stability	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Reconstitution	Reconstitute in PBS or others
GENE INFORMATION	
Gene Name	DST dystonin [Homo sapiens]
Official Symbol	DST
Synonyms	DST; dystonin; BPAG1, bullous pemphigoid antigen 1, 230/240kDa; bullous pemphigoid antigen 1; BP240; BPA; CATX 15; FLJ13425; FLJ21489; FLJ30627; FLJ32235; KIAA0728; MACF2; trabeculin-beta; dystonia musculorum protein; hemidesmosomal plaque protein; 230/240 kDa bullous pemphigoid antigen; bullous pemphigoid antigen 1, 230/240kDa; DT; DMH; BPAG1; CATX15; CATX-15; D6S1101; FLJ46791; KIAA0465; KIAA1470; DKFZp564B2416;
Gene ID	667
mRNA Refseq	NM_001723
Protein Refseq	NP_001714


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM 113810

UniProt ID Q03001



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA