

Active Recombinant Human MET Protein, GST/His-tagged

Cat. No. MET-4420H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human MET (NM_000245.2, 956 a.a. - 1390 a.a.) partial recombinant protein with GST-His tag expressed in Sf9 cells.
Species	Human
Source	Insect Cells
ProteinLength	956.-1390. a.a.
Description	The proto-oncogene MET product is the hepatocyte growth factor receptor and encodes tyrosine-kinase activity. The primary single chain precursor protein is post-translationally cleaved to produce the alpha and beta subunits, which are disulfide linked to form the mature receptor. Various mutations in the MET gene are associated with papillary renal carcinoma. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]
Form	Liquid
Bio-activity	105 pmol/μg x min
Molecular Mass	78.788 kDa
AA Sequence	KKRKQIKDLGSELVRYDARVHTPHLDRLVSARSVSPTTEMVSNESVDYRATFPEDQ FPNSSQNGSCRQVQYPLTDMSPILTSGDSDISSPLLQNTVHIDLSALNPELVQAVQH VVIGPSSLIVHFNEVIGRGHFGCVYHGTLNDNDGKKIHC AVKSLNRITDIGEVSQFLTE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GIIMKDFSHPNVLSLLGICLRSEGSPLVLPYMKHGDLRNFIRNETHNPTVKDLIGFGL
 QVAKAMKYLASKKFVHRDLAARNCMLDEKFTVKVADFGLARDMYDKEYYSVHNKT
 GAKLPVKWMALESQTQKFTTKSDVWSFGVVWLWELMTRGAPPYPDVNTFDITVYLL
 QGRRLQPEYCPDPLYEVMKLCWHPKAEMRPSFSELVSRISAIFSTFIGEHYVHVNA
 TYVNVKCVAPYPSLLSSEDNADDEVDTRPASFWETS

Applications

Functional Study
 SDS-PAGE

Storage

Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

Concentration

0.144 µg/µL

Storage Buffer

In 50 mM Hepes, 100 mM NaCl, pH 7.5. (5 mM DTT, 4 mM reduced glutathione, 20% glycerol)

GENE INFORMATION

Gene Name

MET met proto-oncogene (hepatocyte growth factor receptor) [Homo sapiens]

Official Symbol

MET

Synonyms

MET; met proto-oncogene (hepatocyte growth factor receptor); hepatocyte growth factor receptor; HGFR; RCCP2; SF receptor; HGF receptor; oncogene MET; HGF/SF receptor; proto-oncogene c-Met; scatter factor receptor; tyrosine-protein kinase Met; met proto-oncogene tyrosine kinase; AUTS9; c-Met;

Gene ID

4233

mRNA Refseq

NM_000245

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq NP_000236


MIM 164860

UniProt ID P08581

Result of activity analysis



Quality Control Testing



2 μg/lane SDS-PAGE Stained with Coomassie Blue

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA