

## Recombinant Human NASP protein, His & T7-tagged

**Cat. No.** NASP-1664H    **Lot. No.** (See product label)

### SPECIFICATION

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Overview</b> | Recombinant Human NASP aa. (Met3~Asn223 (Accession # P49321)) fused with N-terminal His & T7 tag was produced in E. coli cells.                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Species</b>          | Human                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Source</b>           | E.coli                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>ProteinLength</b>    | Met3~Asn223                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Description</b>      | This gene encodes a H1 histone binding protein that is involved in transporting histones into the nucleus of dividing cells. Multiple isoforms are encoded by transcript variants of this gene. The somatic form is expressed in all mitotic cells, is localized to the nucleus, and is coupled to the cell cycle. The testicular form is expressed in embryonic tissues, tumor cells, and the testis. In male germ cells, this protein is localized to the cytoplasm of primary spermatocytes, the nucleus of spermatids, and the periacrosomal region of mature spermatozoa. |
| <b>Form</b>             | Freeze-dried powder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Molecular Mass</b>   | 35kDa as determined by SDS-PAGE reducing conditions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Endotoxin</b>        | <1.0EU per 1ug (determined by the LAL method)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purity</b>           | >90%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

|                          |                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Applications</b>      | SDS-PAGE; WB; ELISA; IP.                                                                                                                                                                                                                                                                                                            |
| <b>Stability</b>         | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| <b>Storage</b>           | Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.                                                                                                                                                                                                                          |
| <b>Storage buffer</b>    | Supplied as lyophilized form in 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5% trehalose, and preservative.                                                                                                                                                                                         |
| <b>Reconstitution</b>    | Reconstitute in sterile ddH <sub>2</sub> O.                                                                                                                                                                                                                                                                                         |
| <b>Isoelectric Point</b> | 4.2                                                                                                                                                                                                                                                                                                                                 |
| <b>GENE INFORMATION</b>  |                                                                                                                                                                                                                                                                                                                                     |
| <b>Gene Name</b>         | NASP nuclear autoantigenic sperm protein [ Homo sapiens (human) ]                                                                                                                                                                                                                                                                   |
| <b>Official Symbol</b>   | NASP                                                                                                                                                                                                                                                                                                                                |
| <b>Synonyms</b>          | NASP; nuclear autoantigenic sperm protein; HMDRA1; FLB7527; PRO1999; NASP histone chaperone; histone H1-binding protein; nuclear autoantigenic sperm protein (histone-binding)                                                                                                                                                      |
| <b>Gene ID</b>           | 4678                                                                                                                                                                                                                                                                                                                                |
| <b>mRNA Refseq</b>       | NM_001195193.1                                                                                                                                                                                                                                                                                                                      |

 Tel: 1-631-559-9269 1-516-512-3133


 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Protein Refseq** NP\_001182122.1

**UniProt ID** P49321

**SDS-PAGE**



Tel: 1-631-559-9269 1-516-512-3133

Email: [info@creative-biomart.com](mailto:info@creative-biomart.com) Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA