

Recombinant Human Regulator Of Calcineurin 2, His-tagged

Cat. No. RCAN2-6859H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human RCAN2 protein, fused to His-tag at N-terminus, was expressed in E. coli and purified by using conventional chromatography techniques. MW: 24.1 kDa.
Species	Human
Source	E.coli
ProteinLength	1-197aa
Description	RCAN2 belonging to the RCAN (Regulator of calcineurin) family modulate the activity of Calcineurin through a valine-rich region within their carboxyl tail. RCANs compete with NFAT(nuclear factor of activated T-cells) for binding to the same docking site in calcineurin, which results in either inhibition or activation of calcineurin activity. RCAN2 is a Ca(2+) dependent protein phosphatase that is involved in several neuronal functions.
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 1mM DTT, 20% glycerol, 0.2M NaCl.
Molecular Mass	24.1 kDa (217aa), confirmed by MALDI-TOF.
AA Sequence	MGSSHHHHHH SSGLVPRGSH MPAPSMDCDV STLVACVVDV EVFTNQEVKE KFEGLFRTYD DCVTFQLFKS FRRVRINFSN PKSAARARIE LKLYFAQVQT PETDGDKLHL APPQPAKQFL ISPPSSPPVG WQPINDATPV LNYDLLYAVA

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	KLGPGEKYEL HAGTESTPSV VVHVCDSDIE EEEDPKTSPK PKIIQTRRPG LPPSVSN
Purity	>85% by SDS - PAGE
Applications	SDS-PAGE
Storage	Can be stored at 4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.
Concentration	0.5 mg/ml (determined by Bradford assay)
GENE INFORMATION	
Gene Name	RCAN2 regulator of calcineurin 2 [Homo sapiens]
Official Symbol	RCAN2
Synonyms	RCAN2; regulator of calcineurin 2; Down syndrome critical region gene 1 like 1 , DSCR1L1; calciressin-2; ZAKI 4; Down syndrome candidate region 1-like 1; thyroid hormone-responsive protein ZAKI-4; Down syndrome critical region gene 1-like 1; thyroid hormone-responsive (skin fibroblasts); myocyte-enriched calcineurin-interacting protein 2; CSP2; RCN2; MCIP2; ZAKI4; ZAKI-4; DSCR1L1;
Gene ID	10231
mRNA Refseq	NM_001251973
Protein Refseq	NP_001238902
MIM	604876

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	Q14206
Chromosome Location	6p12.3
Pathway	Calcium signaling in the CD4+ TCR pathway, organism-specific biosystem; Role of Calcineurin-dependent NFAT signaling in lymphocytes, organism-specific biosystem;
Function	nucleotide binding; protein phosphatase 2B binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA