

Active Recombinant Human JAK2 protein, His-tagged

Cat. No. JAK2-254H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Active Recombinant Human JAK2 protein(O60674)(508-800 aa), fused with N-terminal His tag, was expressed in E.coli.
Species	Human
Source	E.coli
ProteinLength	508-800 aa
Form	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Bio-activity	JAK2 (Tyrosine-protein kinase JAK2) is a tyrosine kinase involved in various processes such as cell growth, development, differentiation or histone modifications. JAK2 is considered to associate with some type I receptors, including EPOR (Erythropoietin receptor), therefore participates in cellular signal transduction. Thus a binding ELISA assay was conducted to detect the interaction of recombinant human JAK2 and recombinant human EPOR. Briefly, JAK2 were diluted serially in PBS, with 0.01%BSA (pH 7.4). Duplicate samples of 100uL JAK2 were then transferred to EPOR-coated microtiter wells and incubated for 2h at 37°C. Wells were washed with PBST and incubated for 1h with anti-JAK2 pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37°C. Finally, add 50μ stop solution to the wells and read at 450nm

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

immediately. The binding activity of JAK2 and EPOR was shown, and this effect was in a dose dependent manner.

Molecular Mass 34.9kDa

Purity > 90%

Storage Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Store at -20°C for 12 months. Aliquot and store at -80°C for 12 months.

Reconstitution Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name [JAK2 Janus kinase 2 \[Homo sapiens \]](#)

Official Symbol [JAK2](#)

Synonyms JAK2; Janus kinase 2; tyrosine-protein kinase JAK2; JTK10; JAK-2; Janus kinase 2 (a protein tyrosine kinase); THCYT3;

Gene ID [3717](#)

mRNA Refseq [NM_004972](#)

Protein Refseq [NP_004963](#)

MIM [147796](#)


UniProt ID [O60674](#)

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Activity



SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA