

Active Recombinant Human HDAC6, GST-tagged

Cat. No. HDAC6-1359H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full-length human HDAC6 was expressed by baculovirus in Sf9 insect cells using an N-terminal GST tag.
Species	Human
Source	Sf9 Cells
ProteinLength	Full length
Description	HDAC6 or Histone deacetylase 6 belongs to the histone deacetylase/acuc/apha family and is a component of the histone deacetylase complex. Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. The protein encoded by this gene belongs to class II of the histone deacetylase family that regulates important biologic processes beyond histone metabolism and gene transcription. HDAC6 is a central component of the stress response that regulates SG formation and potentially contributes to control of RNA metabolism and translation.
Form	Recombinant protein stored in 50mM Tris-HCl, pH 7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
Bio-activity	5800 nmol/min/mg
Molecular Mass	~ 180 kDa
Purity	>80%

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	HDAC Assay, Western Blot
Storage	Store at –70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. Avoid freeze/thaw cycles.
Concentration	0.1 µg/µl
GENE INFORMATION	
Gene Name	HDAC6 histone deacetylase 6 [Homo sapiens]
Official Symbol	HDAC6
Synonyms	HDAC6; histone deacetylase 6; FLJ16239; HD6; JM21; KIAA0901;
Gene ID	10013
mRNA Refseq	NM_006044
Protein Refseq	NP_006035
MIM	300272
UniProt ID	Q9UBN7
Chromosome Location	Xp11.23
Pathway	Cell cycle, organism-specific biosystem; NOTCH1 Intracellular Domain Regulates Transcription, organism-specific biosystem; Signal Transduction, organism-specific biosystem; Signaling by NOTCH, organism-specific biosystem; Signaling by

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



NOTCH1, organism-specific biosystem; Signaling events mediated by HDAC Class I, organism-specific biosystem; Signaling events mediated by HDAC Class II, organism-specific biosystem;

Function

Hsp90 protein binding; NAD-dependent histone deacetylase activity (H3-K14 specific); NAD-dependent histone deacetylase activity (H3-K9 specific); NAD-dependent histone deacetylase activity (H4-K16 specific); actin binding; alpha-tubulin binding; beta-catenin binding; beta-tubulin binding; dynein complex binding; enzyme binding; histone deacetylase activity; histone deacetylase activity (H3-K16 specific); histone deacetylase binding; hydrolase activity; metal ion binding; microtubule binding; microtubule binding; polyubiquitin binding; protein binding; tau protein binding; tubulin deacetylase activity; tubulin deacetylase activity; zinc ion binding;