

Active Recombinant Human MUC16 Protein, Fc-Avi-tagged, Biotinylated

Cat. No. MUC16-43H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Biotinylated Human CA125, Fc Tag, Avi Tag is expressed from HEK293 cells. It contains AA Gly 12660 - Met 12923 (Accession # Q8WXI7-1). This protein carries a human IgG1 Fc tag at the C-terminus, followed by a Avi tag.
Species	Human
Source	HEK293
ProteinLength	12660-12923 a.a.
Predicted N Terminal	Gly 12660
Form	Lyophilized from 0.22 um filtered solution in 50 mM Tris, 100 mM Glycine, pH7.5, 10% trehalose.
Bio-activity	Immobilized Human Mesothelin, His Tag at 10 ug/mL (100 uL/well) can bind Biotinylated Human CA125, Fc Tag, Avi Tag with a linear range of 2-78 ug/mL.
Molecular Mass	The protein has a calculated MW of 56.9 kDa. The protein migrates as 75-100 kDa under reducing condition (SDS-PAGE) due to glycosylation.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Purity	>95% as determined by SDS-PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Characteristic	Biotinylation of this product is performed using Avitag technology. Briefly, the single lysine residue in the Avitag is enzymatically labeled with biotin. The biotin to protein ratio is 0.5-1 as determined by the HABA assay.
Stability	Samples are stable for up to twelve months from date of receipt at -70°C.
Storage	For long term storage, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. No activity loss is observed after storage at: 4-8°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
Conjugation	Biotin

GENE INFORMATION

Gene Name	MUC16 mucin 16, cell surface associated [Homo sapiens]
Official Symbol	MUC16
Synonyms	MUC16; mucin 16, cell surface associated; mucin-16; CA125; FLJ14303; CA-125; MUC-16; CA125 ovarian cancer antigen; ovarian carcinoma antigen CA125; ovarian cancer-related tumor marker CA125;
Gene ID	94025
mRNA Refseq	NM_024690
Protein Refseq	NP_078966

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	606154
-----	--------

UniProt ID	Q8WXI7
------------	--------

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA