

Active Recombinant Human PDE7A, GST-tagged

Cat. No. PDE7A-1531H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human PDE7A (104-end) was expressed by baculovirus in Sf9 insect cells using an N-terminal GST tag.
Species	Human
Source	Sf9 Cells
ProteinLength	104 aa-end
Description	PDE7A is a member of the phosphodiesterase family of proteins that play a critical role in regulating intracellular levels of cAMP and cGMP. PDE7A is a high-affinity cAMP-specific PDE and is expressed in T cell lines, peripheral blood T lymphocytes, epithelial cell lines, airway and vascular smooth muscle cells, lung fibroblasts, and eosinophils. PDE7 plays a critical role in the regulation of human T cell function and selective PDE7 inhibitors are being examined to treat immunological and inflammatory disorders. PDE7A plays an important role in the regulation of osteoblastic differentiation. PDE7A depletion by RNAi upregulates expression of several osteogenic genes and increases mineralization.
Form	Recombinant protein stored in 50mM Tris-HCl, pH 7.5, 150mM NaCl, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
Bio-activity	166 nmol/min/mg
Molecular Mass	~64 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>85%
Applications	PDE Assay
Storage	Store at –70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. Avoid freeze/thaw cycles.
Concentration	0.1µg/µl
GENE INFORMATION	
Gene Name	PDE7A phosphodiesterase 7A [Homo sapiens]
Official Symbol	PDE7A
Synonyms	PDE7A; phosphodiesterase 7A; high affinity cAMP-specific 3,5-cyclic phosphodiesterase 7A; HCP1; TM22; phosphodiesterase isozyme 7; PDE7;
Gene ID	5150
mRNA Refseq	NM_001242318
Protein Refseq	NP_001229247
MIM	171885
UniProt ID	Q13946
Chromosome Location	8q13
Pathway	G Protein Signaling Pathways, organism-specific biosystem; G alpha (s) signalling

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

events, organism-specific biosystem; GPCR downstream signaling, organism-specific biosystem; Morphine addiction, organism-specific biosystem; Morphine addiction, conserved biosystem; Purine metabolism, organism-specific biosystem; Purine metabolism, conserved biosystem;

Function

3,5-cyclic-AMP phosphodiesterase activity; 3,5-cyclic-AMP phosphodiesterase activity; hydrolase activity; metal ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA