

Recombinant Human CDK7, Unactive, GST-tagged

Cat. No. CDK7-1539H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full-length human CDK7 was expressed by baculovirus in Sf9 insect cells using an N-terminal GST tags.
Species	Human
Source	Sf9 Cells
ProteinLength	Full length
Description	CDK7 gene is a member of the cyclin-dependent protein kinase family that is important regulators of cell cycle progression. CDK7 forms a trimeric complex with cyclin H and MAT1, which functions as a CDK-activating kinase (CAK). CDK7 is an essential component of the transcription factor TFIIH that is involved in transcription initiation and DNA repair. CDK7 is thought to serve as a direct link between the regulation of transcription and the cell cycle.
Form	Recombinant protein stored in 50mM sodium phosphate, pH 7.0, 300mM NaCl, 150mM imidazole, 0.1mM PMSF, 0.25mM DTT, 25% glycerol.
Molecular Mass	~66 kDa
Purity	>95%
Applications	Kinase Assay, Western Blot

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Store at –70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. Avoid freeze/thaw cycles.
Concentration	0.1µg/µl
GENE INFORMATION	
Gene Name	CDK7 cyclin-dependent kinase 7 [Homo sapiens]
Official Symbol	CDK7
Synonyms	CDK7; cyclin-dependent kinase 7; cyclin dependent kinase 7 (homolog of Xenopus MO15 cdk activating kinase) , cyclin dependent kinase 7 (MO15 homolog, Xenopus laevis, cdk activating kinase); CAK; CAK1; CDKN7; MO15; STK1; p39 Mo15; protein kinase; 39 KDa protein kinase; kinase subunit of CAK; CDK-activating kinase 1; serine/threonine kinase stk1; cell division protein kinase 7; serine/threonine protein kinase 1; serine/threonine-protein kinase 1; serine/threonine protein kinase MO15; homolog of Xenopus MO15 Cdk-activating kinase; TFIIH basal transcription factor complex kinase subunit; cyclin-dependent kinase 7 (MO15 homolog, Xenopus laevis, cdk-activating kinase); HCAK; p39MO15;
Gene ID	1022
mRNA Refseq	NM_001799
Protein Refseq	NP_001790
MIM	601955
UniProt ID	P50613

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	5q12.1
Pathway	Androgen Receptor Signaling Pathway, organism-specific biosystem; B Cell Receptor Signaling Pathway, organism-specific biosystem; Basal transcription factors, organism-specific biosystem; Basal transcription factors, conserved biosystem; Cell Cycle, organism-specific biosystem; Cell Cycle, Mitotic, organism-specific biosystem; Cell cycle, organism-specific biosystem;
Function	ATP binding; DNA-dependent ATPase activity; RNA polymerase II carboxy-terminal domain kinase activity; androgen receptor binding; cyclin-dependent protein kinase activity; nucleotide binding; protein C-terminus binding; protein complex binding; protein kinase activity; transcription coactivator activity;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA