

Recombinant Human MDM2, GST-tagged

Cat. No. MDM2-6982H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human MDM2 (202-end) was expressed in E. coli cells using an N-terminal GST tag.
Species	Human
Source	E.coli
ProteinLength	202 aa-end
Description	MDM2 is a nuclear phosphoprotein that binds and inhibits transactivation by p53, as part of an autoregulatory negative feedback loop. Overexpression of the MDM2 gene product can lead to excessive inactivation of p53 thereby diminishing its tumor suppressor function. The inactivation of p53 is mediated by the E3 ubiquitin ligase activity of MDM2 which targets p53 for proteasomal degradation. MDM2 also affects the cell cycle, apoptosis, and tumorigenesis through interactions with other proteins, including retinoblastoma 1 and ribosomal protein L5. Amplification of MDM2 is frequently observed in human sarcomas and this is consistent with the hypothesis that MDM2 binds to p53 which then leads to escape from p53-regulated growth control.
Form	Recombinant protein stored in 50mM Tris-HCl, pH 7.5, 50mM NaCl, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
Molecular Mass	~84 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>75%
Applications	Western Blot
Storage	Store at –70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. Avoid freeze/thaw cycles.
Concentration	0.2 µg/µl
GENE INFORMATION	
Gene Name	MDM2 Mdm2, p53 E3 ubiquitin protein ligase homolog (mouse) [Homo sapiens]
Official Symbol	MDM2
Synonyms	MDM2; Mdm2, p53 E3 ubiquitin protein ligase homolog (mouse); Mdm2 p53 binding protein homolog (mouse) , Mdm2, transformed 3T3 cell double minute 2, p53 binding protein (mouse) , mouse double minute 2, human homolog of; p53 binding protein; E3 ubiquitin-protein ligase Mdm2; HDM2; HDMX; MGC5370; oncoprotein Mdm2; MDM2 variant FB28; MDM2 variant FB30; double minute 2, human homolog of; p53-binding protein; Mdm2, transformed 3T3 cell double minute 2, p53 binding protein; hdm2; ACTFS; MGC71221;
Gene ID	4193
mRNA Refseq	NM_002392
Protein Refseq	NP_002383
MIM	164785

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	Q00987
Chromosome Location	12q13-q14
Pathway	AKT phosphorylates targets in the cytosol, organism-specific biosystem; Adaptive Immune System, organism-specific biosystem; Androgen Receptor Signaling Pathway, organism-specific biosystem; Apoptosis, organism-specific biosystem; Aurora A signaling, organism-specific biosystem; Bladder cancer, organism-specific biosystem; Bladder cancer, conserved biosystem;
Function	enzyme binding; ligase activity; metal ion binding; p53 binding; protein binding; ubiquitin-protein ligase activity; ubiquitin-protein ligase activity; zinc ion binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA