

Recombinant Human EPCAM, His-tagged

Cat. No. EPCAM-7063H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human EPCAM protein, fused to His-tag at N-terminus, was expressed in E.coli.
Species	Human
Source	E.coli
ProteinLength	24-265aa
Description	Epithelial cell adhesion molecules, also known as EPCAM, may act as a physical homophilic interaction molecule between intestinal epithelial cells (IECs) and intraepithelial lymphocytes (IELs) at the mucosal epithelium for providing immunological barrier as a first line of defense against mucosal infection. This protein plays a role in embryonic stem cells proliferation and differentiation.
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.4M urea,10% glycerol
Molecular Mass	30.1 kDa (267aa)
AA Sequence	MGSSHHHHHH SSGLVPRGSH MGSHMQEECV CENYKLAVNC FVNNNRQCQC TSVGAQNTVI CSKLAACKLV MKAEMNGSKL GRRAKPEGAL QNNDGLYDPD CDESGLFKAK QCNGTSMCWC VNTAGVVRTD KDTEITCSER VRTYWIIIE KHKAREKPYD SKSLRTALQK EITTRYQLDP KFITSILYEN NVITIDLVQN SSQKTQNDVD IADVAYYFEK DVKGESLFHS KKMDLTVNGE QLDLDPGQTL IYYVDEKAPE FSMQGLK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>85% by SDS - PAGE
Applications	SDS-PAGE
Storage	Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.
Concentration	1 mg/ml
GENE INFORMATION	
Gene Name	EPCAM epithelial cell adhesion molecule [Homo sapiens]
Official Symbol	EPCAM
Synonyms	EPCAM; epithelial cell adhesion molecule; antigen identified by monoclonal AUA1 , M4S1, MIC18, TACSTD1, tumor associated calcium signal transducer 1; 17 1A; 323/A3; CD326; CO 17A; EGP 2; EGP34; EGP40; Ep CAM; ESA; GA733 2; HEA125; KS1/4; KSA; Ly74; MH99; MK 1; MOC31; TACST 1; TROP1; epithelial glycoprotein 314; human epithelial glycoprotein-2; cell surface glycoprotein Trop-1; adenocarcinoma-associated antigen; tumor-associated calcium signal transducer 1; major gastrointestinal tumor-associated protein GA733-2; membrane component, chromosome 4, surface marker (35kD glycoprotein); M4S1; MK-1; DIAR5; EGP-2; MIC18; EGP314; HNPCC8; TACSTD1; GA733-2;
Gene ID	4072
mRNA Refseq	NM_002354
Protein Refseq	NP_002345

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	185535
UniProt ID	P16422
Chromosome Location	2p21
Function	protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA