

Recombinant Mouse REN2 Protein (64-351 aa), His-tagged

Cat. No. REN2-1250M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse REN2 Protein (64-351 aa) is produced by E. coli expression system. This protein is fused with a 6xHis tag at the N-terminal. Research Area: Neuroscience. Protein Description: Partial.
Species	Mouse
Source	E.coli
ProteinLength	64-351 aa
Description	Adipocyte-secreted protein (adipokine) that regulates adipogenesis, metabolism and inflammation through activation of the chokine-like receptor 1 (CMKLR1). Its other ligands include G protein-coupled receptor 1 (GPR1) and chokine receptor-like 2 (CCRL2). Positively regulates adipocyte differentiation, modulates the expression of adipocyte genes involved in lipid and glucose metabolism and might play a role in angiogenesis, a process essential for the expansion of white adipose tissue. Also acts as a proinflammatory adipokine, causing an increase in secretion of proinflammatory and prodiabetic adipokines, which further impair adipose tissue metabolic function and have negative systic effects including impaired insulin sensitivity, altered glucose and lipid metabolism, and a decrease in vascular function in other tissues. Can have both pro- and anti-inflammatory properties depending on the modality of enzymatic cleavage by different classes of proteases. Acts as a chotactic factor for leukocyte populations expressing CMKLR1, particularly immature plasmacytoid dendritic cells, but also immature myeloid DCs, macrophages and natural killer cells. Exerts an anti-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

inflammatory role by preventing TNF/TNFA-induced VCAM1 expression and monocytes adhesion in vascular endothelial cells. The effect is mediated via inhibiting activation of NF-kappa-B and CRK/p38 through stimulation of AKT1/NOS3 signaling and nitric oxide production. Its dual role in inflammation and metabolism might provide a link between chronic inflammation and obesity, as well as obesity-related disorders such as type 2 diabetes and cardiovascular disease. Exhibits an antimicrobial function in the skin.

Form	Tris-based buffer,50% glycerol
Molecular Mass	35.0 kDa
AA Sequence	SSLTDLISPVVLTNYLNSQYYGEIGIGTPPQTFKVIFDTGSANLWVPSTKCSRLYLAC GIHSLYESSDSSSYMENGDDFTIHYGSGRVKGFLSQDSVTVGGITVTQTTFGEVTELP LIPFMLAQFDGVLGMGFPAQAVGGVTPVFDHILSQGVLEKVFVSVYYNRGPHLLGG EVLGGSDPEHYQGDFHYVSLSKTDSWQITMKGVS VGSSTLLCEECEVVVD TG S SFISAPTSSLKLIMQALGAKEKRLHEYVVSCSQVPTLPDISFNLGGRAYTLSSSTDYVL QYPN
Purity	> 90% as determined by SDS-PAGE.
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4 centigrade for up to one week.
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20 centigrade/-80 centigrade. The shelf life of lyophilized form is 12 months at -20 centigrade/-80 centigrade.
Concentration	A hardcopy of COA with reconstitution instruction is sent along with the products.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Please refer to it for detailed information.

GENE INFORMATION

Gene Name	Ren2 renin 2 tandem duplication of Ren1 [<i>Mus musculus</i> (house mouse)]
Official Symbol	REN2
Synonyms	Ren; Rnr; Rn-2; Ren-2; Ren-B;
Gene ID	19702
mRNA Refseq	NM_031193
Protein Refseq	NP_112470
UniProt ID	P00796

kDa M



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA