

Recombinant Human NR2F6 Protein (1-404 aa), His-SUMO-tagged

Cat. No. NR2F6-1959H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human NR2F6 Protein (1-404 aa) is produced by E. coli expression system. This protein is fused with a 6xHis-SUMO tag at the N-terminal. Research Area: Epigenetics and Nuclear Signaling. Protein Description: Full Length.
Species	Human
Source	E.coli
ProteinLength	1-404 aa
Description	Transcription factor predominantly involved in transcriptional repression. Binds to promoter/enhancer response elements that contain the imperfect 5'-AGGTCA-3' direct or inverted repeats with various spacings which are also recognized by other nuclear hormone receptors. Involved in modulation of hormonal responses. Represses transcriptional activity of the lutropin-choriogonadotropic hormone receptor/LHCGR gene, the renin/REN gene and the oxytocin-neurophysin/OXT gene. Represses the triiodothyronine-dependent and -independent transcriptional activity of the thyroid hormone receptor gene in a cell type-specific manner. The corepressing function towards thyroid hormone receptor beta/THRB involves at least in part the inhibition of THRB binding to triiodothyronine response elements (TREs) by NR2F6. Inhibits NFATC transcription factor DNA binding and subsequently its transcriptional activity. Acts as transcriptional repressor of IL-17 expression in Th-17 differentiated CD4+ T cells and may be involved in induction and/or maintenance of peripheral

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	immunological tolerance and autoimmunity. Involved in development of forebrain circadian clock; is required early in the development of the locus coeruleus (LC).
Form	Tris-based buffer, 50% glycerol
Molecular Mass	59.0 kDa
AA Sequence	MAMVTGGWGGPGGDTNGVDKAGGYPRAAEDDSASPPGAASDAEPGDEERPGLQ VDCVVC GDKSSGKH YGVFTCEGCKSFFKRSIRRNLSYTCRSNRDCQIDQHHRNQ C QYCRLKKCFRVGMRKEAVQRGRIPHS LPGA VAASSGSPPGSALAAVASGGDLFPG QPVSELIAQLLRAEYPYAAAGRFGAGGGAAGAVLGIDNVCELAARLLFSTVEWARHA PFFPELPVADQVALLRLSWSELFVLNAAQAALPLHTAPLLAAAGLHAAPMAAERAVA FMDQVRAFQE QVDKLGR LQVDSAEY GCLKAIALFTP DACGLSDPAHVESLQ EKAQV ALTEYVRAQYPSQPQRFRGRLRLPALRAVPASLISQLFFMRLVGKTP IETLIRDMLLS GSTFNWPYGSGQ
Purity	> 90% as determined by SDS-PAGE.
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4 centigrade for up to one week.
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20 centigrade/-80 centigrade. The shelf life of lyophilized form is 12 months at -20 centigrade/-80 centigrade.
Concentration	A hardcopy of COA with reconstitution instruction is sent along with the products.

GENE INFORMATION


Gene Name NR2F6 nuclear receptor subfamily 2, group F, member 6 [Homo sapiens]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	NR2F6
Synonyms	NR2F6; ERBAL2; EAR 2; ERBA-related gene-2; EAR2; EAR-2;
Gene ID	2063
mRNA Refseq	NM_005234
Protein Refseq	NP_005225
MIM	132880
UniProt ID	P10588



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA