

Recombinant Human BAG6 Protein (1-321 aa), His-Myc-tagged

Cat. No. BAG6-2628H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human BAG6 Protein (1-321 aa) is produced by Yeast expression system. This protein is fused with a 10xHis tag at the N-terminal and a Myc tag at the C-terminal. Protein Description: Partial.
Species	Yeast
Source	Yeast
ProteinLength	1-321 aa
Form	Tris-based buffer, 50% glycerol
Molecular Mass	38.7 kDa
AA Sequence	MEPNDSTSTAVEEPDSLEVLVKTLDSTRTFIVGAQMNVKEFKEHIAASVSIPSEKQR LIYQGRVLQDDKKLQEYNVGGKVIHLVERAPPQTHLPSGASSGTGSASATHGGGSP PGTRGPGASVHDRNANSYVMVGTFNLPDGSADVHVHINMEQAPIQSEPRVRLVMA QHMIRDIQTLLSRMECRGGPQPQHSQPPPQPPAVTPEPVALSSQTSEPVESEAPPR EPMEAEVEERAPAQNPCLTPGPAPAGPTPAPETNAPNHPSPAIEYVEVLQELQRLE SRLQPFLQRYEVLGAAATTDYNNNHEGREEDQRLINLVG
Purity	> 85% as determined by SDS-PAGE.
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4 centigrade for up to one week.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20 centigrade/-80 centigrade. The shelf life of lyophilized form is 12 months at -20 centigrade/-80 centigrade.

Concentration A hardcopy of COA will be sent along with the products. Please refer to it for detailed information.

GENE INFORMATION

Gene Name BAG6 BCL2-associated athanogene 6 [Homo sapiens]

Official Symbol BAG6

Synonyms BAG6; BCL2-associated athanogene 6; D6S52E; G3; scythe; protein G3; protein Scythe; BAT3; BAG-6;

Gene ID 7917

mRNA Refseq NM_001098534

Protein Refseq NP_001092004


MIM 142590

UniProt ID P46379

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.