

Active Recombinant Human EGFR protein, GST-tagged

Cat. No. EGFR-389H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human EGFR Protein (668-end aa, d746-750 deletion/T790M mutation), was expressed in Sf9 insect cells (via baculovirus) with N-terminal GST tag.
Species	Human
Source	Insect cells
ProteinLength	668-end a.a.
Description	EGFR is the receptor for members of the EGF family and is a transmembrane glycoprotein that has tyrosine kinase activity. Binding of epidermal growth factor to EGFR induces receptor dimerization and tyrosine autophosphorylation and leads to cell proliferation, differentiation, motility, and cell survival. Activation of EGFR triggers mitogenic signaling in gastrointestinal mucosa, and its expression is upregulated in colon cancers and most neoplasms. Activation of EGFR triggers activation of the ERK-signaling pathway in normal gastric epithelial and colon cancer cell lines. Inactivation of EGFR with selective inhibitors significantly reduces ERK2 activation, c-fos mRNA expression and cell proliferation.
Form	Recombinant protein stored in 50mM Tris-HCl, pH 7.5, 300mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
Bio-activity	54 nmol/min/mg

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	95~105 kDa
Purity	>70%
Storage	Store product at –70 centigrade. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
Concentration	0.05 µg/µl
GENE INFORMATION	
Gene Name	EGFR
Official Symbol	EGFR
Synonyms	ERBB; HER1; mENA; ERBB1; PIG61; NISBD2
Gene ID	1956
mRNA Refseq	NM_005228.5
Protein Refseq	NP_005219.2
MIM	131550
UniProt ID	P00533

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE



The purity of EGFR(d746-750 T790M) was determined to be >70% by densitometry, approx. MW 95~105 kDa.

Specific Activity



The specific activity of EGFR (d746-750 T790M) was determined to be 54 nmol/min/mg.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA