

Recombinant Human IGFBP4 protein

Cat. No. IGFBP4-755H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human IGFBP4 (Glu99-Lys327) protein carried no tag and was expressed in human 293 cells (HEK293).
Species	Human
Source	HEK293
ProteinLength	Glu99-Lys327
Description	Immunoglobulin G4 (IgG4) is a member of many immunoglobulin G developed and secreted by effective B cells. In wake of cutting by pepsin, IgG is divided into two F(ab)s with one antigen binding site and a high conserved Fc segment. The Fc segment bears a highly conserved N-glycosylation site. Ig gamma-4 chain Fc region contains two constant regions of IgG4 H chain (CH2, CH3).
Predicted N Terminal	Glu99
Form	Lyophilized from 0.22 µm filtered solution in Tris with Glycine, Arginine and NaCl, pH7.5, 10% trehalose.
Molecular Mass	The protein has a calculated MW of 25.8 kDa. As a result of glycosylation, the protein migrates as 30-32 kDa under reducing (R) condition, and 28-30 kDa and 55-60 kDa under non-reducing (NR) condition (SDS-PAGE).
Endotoxin	Less than 1.0 EU per µg by the LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>95% as determined by SDS-PAGE.
Storage	For long term storage, the product should be stored at lyophilized state at -20 centigrade or lower. Please avoid repeated freeze-thaw cycles. This product is stable after storage at: -20 to -70 centigrade for 12 months in lyophilized state; -70 centigrade for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
GENE INFORMATION	
Gene Name	IGFBP4
Official Symbol	IGFBP4
Synonyms	IGFBP4; insulin-like growth factor binding protein 4; insulin like growth factor binding protein 4; insulin-like growth factor-binding protein 4; BP 4; HT29 IGFBP; IBP4; IGF binding protein 4; IGFBP 4; IBP-4; IGF-binding protein 4; BP-4; IGFBP-4; HT29-IGFBP
Gene ID	3487
mRNA Refseq	NM_001552
Protein Refseq	NP_001543
MIM	146733


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID
P22692
**Bioactivity-SPR of
IGFBP4-755H**


Human FCGRT&B2M Heterodimer Protein, His Tag (SPR & BLI verified) captured on CM5 Chip via anti-His antibody can bind Human IgG4 Fc, Tag Free (SPR verified) with an affinity constant of 0.715 μ M as determined in SPR assay (Biacore 8K) (QC tested).

**SDS-PAGE of
IGFBP4-755H**


Human IgG4 Fc, Tag Free on SDS-PAGE under reducing (R) and non-reducing (NR) conditions. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA