

Active Recombinant Human/Mouse Wnt-5a Protein, Biotinylated

Cat. No. WNT5A-11H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human/Mouse Wnt-5a (Gln38-Lys380) biotinylated protein without tag was expressed in Chinese Hamster Ovary cell line.
Species	Human
Source	CHO
ProteinLength	38-380 aa
Description	The WNT gene family consists of structurally related genes which encode secreted signaling proteins. These proteins have been implicated in oncogenesis and in several developmental processes, including regulation of cell fate and patterning during embryogenesis. This gene encodes a member of the WNT family that signals through both the canonical and non-canonical WNT pathways. This protein is a ligand for the seven transmembrane receptor frizzled-5 and the tyrosine kinase orphan receptor 2. This protein plays an essential role in regulating developmental pathways during embryogenesis. This protein may also play a role in oncogenesis. Mutations in this gene are the cause of autosomal dominant Robinow syndrome. Alternate splicing results in multiple transcript variants.
Predicted N Terminal	Asn44 & No results obtained: Gln38 predicted
Bio-activity	Measured by its binding ability in a functional ELISA. In a 100 µ reaction mixture containing biotinylated Recombinant Mouse Wnt-5a at 50 ng/mL and Recombinant

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	Human Frizzled-5 Fc Chimera dilutions, the concentration of Recombinant Human Frizzled-5 Fc Chimera that produces 50% of the maximal binding response is 2-20 ng/mL.
Molecular Mass	38 kDa
Endotoxin	<0.10 EU per 1 µg of the protein by the LAL method.
Purity	>80%, by SDS-PAGE under reducing conditions and visualized by silver stain.
Storage	12 months from date of receipt, ≤ -20 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, ≤ -20 centigrade under sterile conditions after reconstitution.
Storage Buffer	Lyophilized from a 0.2 µm filtered solution in PBS, EDTA, CHAPS and Trehalose with BSA as a carrier protein.
Reconstitution	Reconstitute at 100 µg/mL in PBS.
Conjugation	Biotin

GENE INFORMATION

Gene Name	Wnt5a wingless-type MMTV integration site family, member 5A [Mus musculus (house mouse)]
Official Symbol	Wnt5a
Synonyms	Wnt5a; wingless-type MMTV integration site family, member 5A; Wnt-5a; 8030457G12Rik; protein Wnt-5a; wingless-related MMTV integration site 5A

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


Gene ID 22418

mRNA Refseq NM_009524

Protein Refseq NP_033550

UniProt ID P22725

Binding Activity



Recombinant Biotinylated Mouse Wnt-5a binds to Recombinant Human Frizzled-5 Fc Chimera with an ED50 of 2-20 ng/mL.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA