

Recombinant Human Nucleosome, H4K12me1 dNuc, Biotinylated

Cat. No. NUC-032 **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Mononucleosomes assembled from recombinant human histones expressed in E. coli.
Species	Human
Source	E.coli
Description	Mononucleosomes assembled from recombinant human histones expressed in E. coli (two each of histones H2A, H2B, H3 and H4; accession numbers: H2A-P04908; H2BO60814; H3.1-P68431; H4-P62805) wrapped by 147 base pairs of 601 positioning sequence DNA. Histone H4 (created by a proprietary synthetic method) contains monomethylated lysine at position 12. The nucleosome is the basic subunit of chromatin. The 601 sequence, identified by Lowary and Widom, is a 147-base pair sequence that has high affinity for histone octamers and is useful for nucleosome assembly and contains a 5' biotin-TEG group.
Form	Nucleosome, Recombinant Human, H4K12me1 (27.3 µg protein weight, 50 µg DNA+protein) in µl 10 mM Tris HCl, pH 7.5, 25 mM NaCl, 1 mM EDTA, 2 mM DTT, 20% glycerol.
Molecular Mass	199,970.16 Da
Applications	Nucleosome, Recombinant Human, H4K12me1 dNucs are highly purified and are suitable for use as substrates in enzyme screening assays or for effector protein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


binding experiments. Nucleosome, Recombinant Human, H4K12me1 dNucs does not contain free DNA which could alter assayed activities.

Storage

Stable for six months at -80°C from date of receipt. For best results, aliquot and avoid multiple freeze/thaws.

Conjugation

Biotin

DNA Gel Data



Nucleosome, Recombinant Human, H4K12me1 run on a native PAGE gel and stained with ethidium bromide to visualize DNA. Lane 1: Free DNA (100 ng). Lane 2: Intact nucleosomes (400 ng)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Gel Data



Coomassie stained PAGE gel of proteins in Nucleosome, Recombinant Human, H4K12me1 (1 μ g) to demonstrate the purity of the histones in the preparation. Sizes of molecular weight markers and positions of the core histones (H2A, H2B, H3, and H4K12me1) are indicated.

Mass Spec Data



H4K12me1 protein analyzed by high resolution mass spectrometry. Expected mass = 11,291.15 Da. Determined mass = 11,291.35 Da.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA