

Active Recombinant Human FAP Protein, His-tagged

Cat. No. FAP-006H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human FAP, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.
Species	Human
Source	Insect cells
Description	The protein encoded by this gene is a homodimeric integral membrane gelatinase belonging to the serine protease family. It is selectively expressed in reactive stromal fibroblasts of epithelial cancers, granulation tissue of healing wounds, and malignant cells of bone and soft tissue sarcomas. This protein is thought to be involved in the control of fibroblast growth or epithelial-mesenchymal interactions during development, tissue repair, and epithelial carcinogenesis. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
Form	Liquid
Bio-activity	Specific activity is > 5,000 pmol/min/μg, and is defined as the amount of enzyme that hydrolysis 1.0 pmole of Z-GP-AMC per minute at pH 7.5, at 37 centigrade.
Molecular Mass	86.1 kDa
AA Sequence	LRPSRVHNSEENTMRALTLKDILNGTFSYKTFFPNWISGQEYLHQSADNNIVLYNIET GQSYTILSNRTMKSVNASNYGLSPDRQFVYLEDYSLWRYSYTATYYIYDLNNGEF VRGNELPRPIQYLCWSPVGSKLAYVYQNNIYLKQRPQITFNGRENKIFNGIP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

DWVYEEEMLATKYALWWSPNGKFLAYAEFNDTDIPVIAYSYYGDEQYPRTINIPYPK
 AGAKNPVVRIFIIDTTYPAYVGPQEVVPAMIASSDYYFSWLTWVTDERVCLQWLKR
 VQNVSVLSICDFREDWQTWDCPKTQEHIEESRTGWAGGFFVSTPVFSYDAISYYKIF
 SDKDGYKHIHYIKDTVENAIQITSGKWEAINIFRVTQDSLIFYSSNEFEEYPGRRNIYRI
 SIGSYPPSKKCVTCHLRKERCQYYTASFSDYAKYYALVCYGPPISTLHDGRDQEI
 KILEENKELENALKNIQLPKKEIKKLEVDEITLWYKMILPPQFDRSKKYPLLIQVYGGPC
 SQSVRSVFAVNWISYLASKEGMVIALVDGRGTAFAQGDKLLYAVYRKLGVEVEDQIT
 AVRKFIEMGFIDEKRIAIWGWSYGGYVSSLALASGTGLFKCGIAPVSSWEYYASV
 YTERFMGLPTKDDNLEHYKNSTVMARAEYFRNVDYLLIHGTADDNVHFQNSAQIAK
 ALVNAQVDFQAMWYSDQNHGLSGLSTNHLHYTHMTHFLKQCFSLSLSD

Endotoxin	< 1 EU/μg of protein (determined by LAL method)
Purity	> 90% by SDS-PAGE
Applications	SDS-PAGE, Enzyme Activity
Storage	Can be stored at +2 to +8 centigrade for 1 week. For long term storage, aliquot and store at -20 to -85 centigrade. Avoid repeated freezing and thawing cycles.
Concentration	0.25 mg/mL (determined by absorbance at 280nm)
Storage Buffer	Phosphate-Buffered Saline (pH 7.4) containing 20% glycerol

GENE INFORMATION

Gene Name	FAP fibroblast activation protein alpha [Homo sapiens (human)]
Official Symbol	FAP
Synonyms	FAP; fibroblast activation protein alpha; FAPA; SIMP; DPPIV; FAPalpha; prolyl

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

endopeptidase FAP; 170 kDa melanoma membrane-bound; gelatinase; dipeptidyl peptidase FAP; gelatine degradation protease FAP; integral membrane serine protease; post-proline cleaving enzyme; seprase; surface-expressed protease; EC 3.4.14.5; EC 3.4.21.26

Gene ID 2191


mRNA Refseq NM_004460

Protein Refseq NP_004451.2

MIM 600403

UniProt ID Q12884

SDS-PAGE



3 µg by SDS-PAGE under reducing condition and visualized by coomassie blue stain

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA