

Recombinant Human PAK4 Protein, MYC/DDK-tagged, C13 and N15-labeled

Cat. No. PAK4-319H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	PAK4 MS Standard C13 and N15-labeled recombinant protein (NP_001014831) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	PAK proteins, a family of serine/threonine p21-activating kinases, include PAK1, PAK2, PAK3 and PAK4. PAK proteins are critical effectors that link Rho GTPases to cytoskeleton reorganization and nuclear signaling. They serve as targets for the small GTP binding proteins Cdc42 and Rac and have been implicated in a wide range of biological activities. PAK4 interacts specifically with the GTP-bound form of Cdc42Hs and weakly activates the JNK family of MAP kinases. PAK4 is a mediator of filopodia formation and may play a role in the reorganization of the actin cytoskeleton. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. [provided by RefSeq, Jul 2008]
Molecular Mass	64.1 kDa
AA Sequence	MFGKRKKRVEISAPSNFEHRVHTGFDQHEQKFTGLPRQWQSLIEESARRPKPLVDP ACITSIQPGAPKTIVRGSKGAKDGALTLLLDEFENMSVTRSNLSLRDSPPPPARARQ ENGMPPEEPATTARGGPGKAGSRGRFAGHSEAGGGSGDRRRRAGPEKRPKSSREG SGGPQESSRDKRPLSGPDVGTPQPAGLASGAKLAAGRPFNTYPRADTDHPSRGAQ

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GEPHDVAPNGPSAGGLAIPQSSSSSRPPTRARGAPSPGVLGPHASEPQLAPPACT
 PAAPAVPGPPGPRSPQREPQRVSHEQFRAALQLVVDPGDPRSYLDNFIKIGEGSTGI
 VCIATVRSSGKLVAVKKMDLRKQQRRELLFNEVVIMRDYQHENVVEMYNSYLVGDE
 LWVMEFLEGGALTDIVTHTRMNEEQIAAVCLAVLQALSVLHAQGVIHRDIKSDSILLT
 HDGRVKLSDFGFCAQVSKEVPRRKSLVGTPYWMAPELISRLPYGPEVDIWSLGIMVI
 EMVDGEPPYFNEPPLKAMKMIRDNLPPRLKNLHKVSPSLKGFLDRLLVRDPAQRAT
 AAELLKHPFLAKAGPPASIVPLMRQNRTTRTRTRPLEQKLISEEDLAANDILDYKDDDD
 KV

Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.
Storage	Store at -80 centigrade. Avoid repeated freeze-thaw cycles.
Concentration	50 µg/mL as determined by BCA
Storage Buffer	100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name	PAK4 p21 protein (Cdc42/Rac)-activated kinase 4 [Homo sapiens (human)]
Official Symbol	PAK4
Synonyms	PAK4; p21 protein (Cdc42/Rac)-activated kinase 4; p21(CDKN1A) activated kinase 4; serine/threonine-protein kinase PAK 4; PAK-4; p21-activated kinase 4; p21(CDKN1A)-activated kinase 4; protein kinase related to S. cerevisiae STE20, effector for Cdc42Hs;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID 10298


mRNA Refseq NM_001014831

Protein Refseq NP_001014831

MIM 605451

UniProt ID O96013

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA