

Recombinant Human KCNN4 Full Length Transmembrane protein, His-tagged

Cat. No. KCNN4-16H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human KCNN4 Protein(NP_002241)(1-427 aa), fused with N-terminal His tag, was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	1-427 aa
Form	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Molecular Mass	53.7 kDa
AA Sequence	MGGDLVLGLGALRRRKRLLEQEKSLAGWALVLAGTGIGLMVLHAEMLWFGGCSWA LYLFLVKCTISISTFLLLCLIVAFHAKEVQLFMTDNGLRDWRVALTGRQAAQIVLELVV CGLHPAPVRGPPCVQDLGAPLTSPQPWPGFLGQGEALLSLAMLLRLYLVPRAVLLR SGVLLNASYRSIGALNQVRFRHWFVAKLYMNTHPGRLLLGLTLGLWLTTAWVLSVA ERQAVNATGHLSDTLWLIPITFLTIGYGDVVPGTMWGKIVCLCTGVMGVCCTALLVA VVARKLEFNKAEKHVHNFMMDIQYTKEMKESAAARVLQEAWMFYKHTRRKESHAAR RHQRKLLAAINAFRQVRLKHRKLREQVNSMVDISKMHMILYDLQQNLSSSHRALEKQ IDTLAGKLDALTELLSTALGPRQLPEPSQQSK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	Greater than 85% as determined by SDS-PAGE.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.
Reconstitution	Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%.


GENE INFORMATION

Gene Name	KCNN4 potassium intermediate/small conductance calcium-activated channel, subfamily N, member 4 [Homo sapiens]
Official Symbol	KCNN4
Synonyms	KCNN4; potassium intermediate/small conductance calcium-activated channel, subfamily N, member 4; intermediate conductance calcium-activated potassium channel protein 4; hIKCa1; hKCa4; hSK4; KCa3.1; SKCa4; SKCa 4; putative Gardos channel; putative erythrocyte intermediate conductance calcium-activated potassium Gardos channel; IK1; SK4; KCA4; IKCA1;
Gene ID	3783
mRNA Refseq	NM_002250
Protein Refseq	NP_002241
MIM	602754
UniProt ID	O15554

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA