

Active Recombinant Human CYP3A5 Protein

Cat. No. CYP3A5-82H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human CYP3A5 protein and CYP-reductase without tag were coexpressed in E. coli.
Species	Human
Source	E.coli
Description	This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. The encoded protein metabolizes drugs as well as the steroid hormones testosterone and progesterone. This gene is part of a cluster of cytochrome P450 genes on chromosome 7q21.1. Two pseudogenes of this gene have been identified within this cluster on chromosome 7. Expression of this gene is widely variable among populations, and a single nucleotide polymorphism that affects transcript splicing has been associated with susceptibility to hypertension. Alternative splicing results in multiple transcript variants.
Bio-activity	Cytochrome c Reductase Activity: 331 nmol/min/mg protein P450 Activity Data(Unless otherwise stated, all assays are carried out at 37 centigrade in 100 mM potassium phosphate buffer (pH 7.4) containing 5mM magnesium chloride and an NADPH generating system [5 mM glucose 6-phosphate, 1 mM NADP+, 1 U/ml glucose 6-phosphate dehydrogenase]) Activity: Testosterone 6β-hydroxylase

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	Linear with time up to: 15 min(Determined at 60 μM substrate, using a P450 concentration of 12.5 pmol/ml) Linear with P450 up to: 60 pmol/ml(Determined at 60 μM substrate, using an incubation time of 5 min) Vmax: 12 pmol/min/pmol CYP Km: 71 μM
Usage	For laboratory (research) purposes only
Storage	Store at -80 centigrade. Avoid frequent temperature changes. Thaw on ice.
Concentration	P450 Concentration: 2.8 nmol/ml Protein Concentration: 14.5 mg/ml Specific P450 Content: 193 pmol/mg protein
Storage Buffer	50 mM Tris-acetate (pH 7.6), 250 mM sucrose, 0.25 mM EDTA
GENE INFORMATION	
Gene Name	CYP3A5 cytochrome P450 family 3 subfamily A member 5 [Homo sapiens (human)]
Official Symbol	CYP3A5
Synonyms	CYP3A5; cytochrome P450 family 3 subfamily A member 5; CP35; PCN3; CYP3A5; P450PCN3; cytochrome P450 3A5; aryl hydrocarbon hydroxylase; cytochrome P450 HLp2; cytochrome P450, family 3, subfamily A, polypeptide 5; cytochrome P450, subfamily IIIA (naphthodiol oxidase), polypeptide 5; cytochrome P450-PCN3; flavoprotein-linked monooxygenase; microsomal monooxygenase; xenobiotic monooxygenase
Gene ID	1577

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_000777
Protein Refseq	NP_000768
MIM	605325
UniProt ID	P20815

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA