

Recombinant Human KLRC1&KLRD1 protein, His-Avi-tagged, Biotinylated

Cat. No. KLRD1 & KLRC1-333HB **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Biotinylated Recombinant Human KLRC1&KLRD1 protein(P26715-1(NKG2A)&Q13241-1(CD94))(Arg100-Leu233(NKG2A) & Ser34-Ile179(CD94)), fused with N-terminal His and Avi tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Arg100-Leu233(NKG2A) & Ser34-Ile179(CD94)
Tag	N-His-Avi
Conjugation/Label	Biotin
Form	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 5% trehalose is added as protectant before lyophilization.
Bio-activity	Immobilized Biotinylated Human NKG2A&CD94, His Tag at 0.5µg/ml (100µl/Well) on streptavidin (5µg/ml) precoated plate. Dose response curve for Anti-NKG2A Antibody, hFc Tag with the EC50 of 2.5ng/ml determined by ELISA.
Molecular Mass	The protein has a predicted MW of 17.9 kDa (CD94)&18.3 kDa (NKG2A). Due to glycosylation, the protein migrates to 33-48 kDa based on Tris-Bis PAGE result.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE;> 95% as determined by HPLC
Storage	Reconstituted protein stable at -80°C for 12 months, 4°C for 1 week. Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Reconstitution	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
GeneID 2	3824
Conjugation	Biotin

GENE INFORMATION

Gene Name	KLRC1 killer cell lectin-like receptor subfamily C, member 1 [Homo sapiens]
Official Symbol	KLRC1
Synonyms	KLRC1; killer cell lectin-like receptor subfamily C, member 1; NKG2; NKG2-A/NKG2-B type II integral membrane protein; CD159a; NKG2 1/B activating NK receptor; NKG2 A; NKG2 B; NK cell receptor A; C-lectin type II protein; natural killer cell lectin; natural killer group protein 2; NKG2-1/B activating NK receptor; NKG2-A/B-activating NK receptor; CD159 antigen-like family member A; NKG2-A/B type II integral membrane protein; NKG2A; CD159A; MGC13374; MGC59791;
Gene ID	3821
mRNA Refseq	NM_002259

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


Protein Refseq	NP_002250
MIM	161555
UniProt ID	P26715
Gene Name 2	KLRD1 killer cell lectin-like receptor subfamily D, member 1 [Homo sapiens]
Official Symbol 2	KLRD1
Synonyms 2	KLRD1; killer cell lectin-like receptor subfamily D, member 1; CD94; natural killer cells antigen CD94; KP43; CD94 antigen; NK cell receptor;
mRNA Refseq 2	NM_001114396
Protein Refseq 2	NP_001107868
MIM 2	602894
UniProt ID 2	Q13241

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Tris-Bis PAGE



ELISA Data



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA