

Recombinant Mouse B4galt1 overexpression lysate

Cat. No. B4galt1-25HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Transient overexpression lysate of Mouse UDP-Gal:betaGlcNAc beta 1,4-galactosyltransferase, polypeptide 1 (B4galt1) with a C-Myc/DDK tag was expressed in HEK293T.

Preparation: HEK293T cells in 10-cm dishes were transiently transfected. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM PMSF and 1mM Na3VO4), and then centrifuged to clarify the lysate. Protein concentration was measured by BCA kit. Cell lysates were aliquoted and stored at -20 centigrade before shipping.

Components:

- 1 vial of 100 µg gene specific transient over-expression cell lysate in RIPA buffer
- 1 vial of 100 µg empty vector transfected control cell lysate in RIPA buffer
- 1 vial of 250 µL 2xSDS Sample Buffer (4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromphenol blue, 100mM DTT)

Species

Mouse

Source

HEK293

Description

This gene encodes two distinct enzyme isoforms, a long membrane-bound form and a short soluble form. These alternate isoforms are thought to be produced through alternative nested transcription initiation and different in-frame start codon usage. These enzymes catalyze the transfer of galactose to acceptor sugars, such as N-acetylglucosamine and glucose. The long form of this enzyme is localized to the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	trans-Golgi membrane and is involved in glycoconjugate biosynthesis. The short form functions in lactose biosynthesis through formation of a heterodimer with alpha-lactalbumin.
Molecular Mass	44.4 kDa
Stability	Avoid repeated freeze-thaw cycles. Lysate samples are stable for 12 months from date of receipt when stored at -20 centigrade.
Storage	Upon receiving, store the sample at -20 centigrade.
Reconstitution	Lysate samples can be diluted with 2xSDS Sample Buffer provided. After dilution, the protein sample should be aliquoted and stored at -20 centigrade for long term storage.
Shipping	The lysate is shipped with dry ice.

GENE INFORMATION

Gene Name	B4galt1 UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 1 [Mus musculus (house mouse)]
Official Symbol	B4galt1
Synonyms	B4galt1; UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 1; Ga; GalT; Ggtb; Ggtb2; b4Gal-T1; B-1,4-GalT; B-1,4-GalT1; beta4Gal-T1; beta-1,4-GalT; beta-1,4-GalT1; beta-1,4-galactosyltransferase 1; N-acetyllactosamine synthase; UDP-galactose:beta-N-acetylglucosamine beta-1,4-galactosyltransferase 1; b1,4-Galactosyltransferase I; beta-1,4-GalTase 1; beta-N-acetylglucosaminyl-glycolipid beta-1,4-galactosyltransferase; beta-N-acetylglucosaminylglycopeptide beta-1,4-galactosyltransferase; galactosyltransferase 2 beta 1, 4; glycoprotein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

galactosyltransferase beta 1, 4; lactose synthase A protein; nal synthase;
neolactotriaosylceramide beta-1,4-galactosyltransferase; EC 2.4.1.22; EC 2.4.1.275;
EC 2.4.1.38; EC 2.4.1.90

Gene ID 14595

mRNA Refseq NM_022305

Protein Refseq NP_071641

UniProt ID P15535

SDS-PAGE

