

Recombinant Human STAB2 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. STAB2-455H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	STAB2 MS Standard C13 and N15-labeled recombinant protein (NP_060034) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	This gene encodes a large, transmembrane receptor protein which may function in angiogenesis, lymphocyte homing, cell adhesion, or receptor scavenging. The protein contains 7 fasciclin, 15 epidermal growth factor (EGF)-like, and 2 laminin-type EGF-like domains as well as a C-type lectin-like hyaluronan-binding Link module. The protein is primarily expressed on sinusoidal endothelial cells of liver, spleen, and lymph node. The receptor has been shown to bind and endocytose ligands such as hyaluronan, low density lipoprotein, Gram-positive and Gram-negative bacteria, and advanced glycosylation end products. Supporting its possible role as a scavenger receptor, the protein has been shown to cycle between the plasma membrane and lysosomes.
Molecular Mass	276.99 kDa
AA Sequence	MMLQHLVIFCLGLVVQNFCSAETTQGARRCDRKSLLTIRTECRSCALNLGVKCPDG YTMITSGSVGVRDCRYTFEVRTYSLSLPGCRHICRKDYLPQRCCPGRWGPDCIECP GGAGSPCNGRGSCAEGMEGNGTCSCQEGFGGTACETCADDNLFGPSCSSVCNC

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

VHGV CNSGLDGDGTCECY SAYTGPKCDKPIPECAALLCPENSRCSPSTEDENKLEC
KCLPNYRGDGKYCDPINPCLRKICHPAHCTYLGPNRHSCTCQEGYRGDGQVCLP
VDPCQINFGNCPTKSTVCKYDGPQGSHCECKEHYQNFVPGVGC SMTDICKSDNPC
HRNANCTTVAPGRTECICQKGYVGDGLTCYGNIMERLRELNTEPRGKWQGRLT SFI
SLLDKAYAWPLSKLGPFTVLLPTDKGLKGFNVNELLVDNKA AQYFVKLHIIAGQMNIE
YMNNTDMFYTLTGKSGEIFNSDKDNQIKLKLHGGKKKVKI IQGDIIASNGLLHILDRAM
DKLEPTFESNNEQTIMTMLQPRYSKFRSLLEETNLGHALDEDGVGGPYTIFVPNNEA
LNNMKDGTLDYLLSPEGSRKLELVRYHIVPFTQLEVATLISTPHIRSMANQLIQFNTT
DNGQILANDVAMEEIEITAKNGRIYTLTGV LIPPSIVPILPHRCDETKREM KLGTCVSC
SLVYWSRCPANSEPTALFTHRCVYSGRFGSLKSGCARYCNATVKIPKCKGFYGPD
CNQCPGGFSNPCSGNGQCADSLGGNGTCICEEGFQGSQCQFCSDPNKYGPRCNK
KCLCVHGT CNNRIDSDGACLTGT CRDGSAGRLCDKQTSACGPYVQFCHIHATCEYS
NGTASCICKAGYEGDGTLCSEMDPCTGLTPGGCSRNAECIKTGTGHTCVCQQGW
TGNGRDCSEINNCLLPSAGGCHDNASCLYVGPQGNECECKKGFRNGIDCEPITSC
LEQTGKCHPLASCQSTSSGVWSCVCQEGYEGDGFLCYGNAAVELSFLSEAAIFNR
WINNASLQPTLSATSNLTVLVPSQQATEDMDQDEKSFWLSQSNIPALIKYHMLLGT Y
RVADLQTLSSSDMLATSLQGNFLHLAKVDGNITIEGASIVDGDNAATNGVIHIINKVLV
PQRRLTGSLPNLLMRLEQMPDYSIFRGYIIQYNLANAIEAADAYTVFAPNNNAIENYIR
EKKVLSLEEDVLR YHVVLEEKLLKNDLHNGMHRETMLGFSYFLSFFLHNDQLYVNEA
PINYTNVATDKGVIHGLGKVLEIQKNRCDNNDTTIIRGRCRTCSELTC PFGTKSLGN
EKRRCIYTSYFMGRRTLFIGCQPKCVRTVITRECCAGFFGPQCQPCPGNAQNVCFG
NGICLDGVNGTGVCECGEGFSGTACETCTEGKYGIHCDQACSCVHGRCNQGPLGD
GSCDCDVGWGRGVHCDNATTEDNCNGTCHTSANCLTNSDGTASCKCAAGFQNGT
ICTAINACEISNGGCSAKADCKRTTPGRRVCTCKAGYTG DGIVCLEINPCLENHGGC
DKNAECTQTGPNQAACNCLPAYTGDGKVCTLINVCLTKNGGCSEFAICNHTGQVER
TCTCKPNYIGDGFTCRGSIYQELPKNP KTSQYFFQLQEHFVKDLVGP GPFTVFAPLS
AAFDEEARVKDWDKYGLMPQVLR YHVVACHQLLLENLKLISNATSLQGEPIVISVSQ
STVYINN KAKIISSDIISTNGIVHIIDKLLSPKNLLITPKDNSGRILQNLTTLATNNGYIKFS
NLIQDSGLLSVITDPIHTPVTLFWPTDQALHALPAEQQDFLFNQDNKDKLKEYLKFHVI
RDAKVLAVDLPTSTAWKTLQGSSELSVKCGAGRDIGDLFLNGQTCRIVQRELLFDLGV

AYGIDCLLIDPTLGGRCDTFTTFDASGECGSCVNTTPSCPRWSKPKGVKQKCLYNLP
 FKRNLEGCRERCSLVIQIPRCCKGYFGRDCQACPGGPDAPCNNRGVCLDQYSATG
 ECKCNTGFNGTACEMCWPGRFGPDCLPCGCS DHGQCDDGITGSGQCLCETGWT
 GPSCDTQAVLPVCTPPCSAHATCKENNTCECNLDYEGDGITCTVVD FCKQDNNG
 CAKVARCSQKGTKVSCSCQKGYKGDGHSCTEIDPCADGLNGGCHEHATCKMTGP
 GKHKCECKSHYVGDGLNCEPEQLPIDRCLQDNGQCHADAKCVDLHFQDTTVGVFH
 LRSPLGQYKLTFDKAREACANEAATMATYNQLSYAQKAKYHLCSAGWLETGRVAYP
 TAFASQNCGSGVVGIVDYGPRPNKSEMWDVFCYRMKDVNCTCKVGYVGDGFSCS
 GNLLQVLMSFSLTNFLTEVLAYSNSSARGRAFLEHLTDLSIRGTLFVPQNSGLGEN
 ETLSGRDIEHHLANVSMFFYNDLVNGTTLQTRLGSKLLITASQDPLQPTETRFVDGR
 AILQWDIFASNGIIHVISRPLKAPPAPVTLTHTGLGAGIFFAILVTGAVALAAYSIFRIN
 RRTIGFQHFSEEDINVAALGKQQPENISNPLYESTTSAPPEPSYDPFTDSEERQLE
 GNDPLRTLTRTRPLEQKLISEEDLAANDILDYKDDDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name STAB2 stabilin 2 [Homo sapiens (human)]

Official Symbol STAB2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms STAB2; stabilin 2; FEX2; HARE; FEEL2; FELL2; FELE-2; SCARH1; stabilin-2; CD44-like precursor FELL; FAS1 EGF-like and X-link domain containing adhesion molecule-2; fasciclin egf-like, laminin-type egf-like, and link domain-containing scavenger receptor-2; hepatic hyaluronan clearance receptor; hyaluronan receptor for endocytosis; hyaluronic acid receptor for endocytosis

Gene ID [55576](#)

mRNA Refseq [NM_017564](#)

Protein Refseq [NP_060034](#)

MIM [608561](#)

UniProt ID [Q8WWQ8](#)

SDS-PAGE

