

Recombinant Human TCF3 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. TCF3-511H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	TCF3 MS Standard C13 and N15-labeled recombinant protein (NP_003191) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	This gene encodes a member of the E protein (class I) family of helix-loop-helix transcription factors. E proteins activate transcription by binding to regulatory E-box sequences on target genes as heterodimers or homodimers, and are inhibited by heterodimerization with inhibitor of DNA-binding (class IV) helix-loop-helix proteins. E proteins play a critical role in lymphopoiesis, and the encoded protein is required for B and T lymphocyte development. Deletion of this gene or diminished activity of the encoded protein may play a role in lymphoid malignancies. This gene is also involved in several chromosomal translocations that are associated with lymphoid malignancies including pre-B-cell acute lymphoblastic leukemia (t(1;19), with PBX1), childhood leukemia (t(19;19), with TFPT) and acute leukemia (t(12;19), with ZNF384). Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the short arm of chromosome 9.
Molecular Mass	67.4 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence

MNQPQRMAPVGTDKELSDLLDFSMFPLPVTNGKGRPASLAGAQFGGSGLEDGPS
 SGSWGSGDQSSSSFDPSRTFSEGTHFTESHSSLSSTFLGPGLGGKSGERGAYAS
 FGRDAGVGGLTQAGFLSGELALNSPGPLSPSGMKGTSQYYPSYSGSSRRRAADGS
 LDTQPKKVRKVPPGLPSSVYPPSSGEDYGRDATAYPSAKTPSSTYPAPFYVADGSL
 HPSAELWSPPGQAGFGPMLGGGSSPLPLPPGSGPVGSSGSSSTFGGLHQHERMG
 YQLHGAEVNGGLPSASSFSSAPGATYGGVSSHTPPVSGADSLGSRGTTAGSSGD
 ALGKALASIYSPDHSSNNFSSSPSTPVGSPQGLAGTSQWPRAGAPGALSPSYDGGL
 HGLQSKIEDHLDEAIHVLRSHAVGTAGDMHTLLPGHGALASGFTSPMSLGGRHAGL
 VGGSHPEDGLAGSTSLMHNHAALPSQPGTLPDLSRPPDSYSGLGRAGATAAASEIK
 REEKEDEENTSAADHSEEEKKELKAPRARTSPDEDEDDLPEQKAEREKERRVAN
 NARERLRVRDINEAFKELGRMCQLHLNSEKPQTKLLILHQA VSVILNLEQQVRERNL
 NPKAACLKRRREEK VSGVVGDPQMVLSAPHPGLSEAHNPAGHMTTRTRPLEQKLISE
 EDLAANDILDYKDDDDKV

Purity

> 80% as determined by SDS-PAGE and Coomassie blue staining

Stability

Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage

Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration

50 µg/mL as determined by BCA

Storage Buffer

100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION
Gene Name

TCF3 transcription factor 3 [Homo sapiens (human)]

Official Symbol

TCF3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms

TCF3; transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47); transcription factor E2-alpha; bHLHb21; E2A; E2A immunoglobulin enhancer binding factor E12/E47; E47; immunoglobulin transcription factor 1; ITF1; kappa E2 binding factor; MGC129647; MGC129648; transcription factor E2 alpha; VDIR; VDR interacting repressor; kappa-E2-binding factor; transcription factor ITF-1; helix-loop-helix protein HE47; vitamin D receptor-interacting repressor; class B basic helix-loop-helix protein 21; negative vitamin D response element-binding protein; TCF-3;

Gene ID

6929

mRNA Refseq

NM_003200

Protein Refseq


NP_003191

MIM

147141

UniProt ID

P15923

SDS-PAGE


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA