

Recombinant Human PTK2B Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. PTK2B-836H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	PTK2B MS Standard C13 and N15-labeled recombinant protein (NP_775266) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	This gene encodes a cytoplasmic protein tyrosine kinase which is involved in calcium-induced regulation of ion channels and activation of the map kinase signaling pathway. The encoded protein may represent an important signaling intermediate between neuropeptide-activated receptors or neurotransmitters that increase calcium flux and the downstream signals that regulate neuronal activity. The encoded protein undergoes rapid tyrosine phosphorylation and activation in response to increases in the intracellular calcium concentration, nicotinic acetylcholine receptor activation, membrane depolarization, or protein kinase C activation. This protein has been shown to bind CRK-associated substrate, nephrocystin, GTPase regulator associated with FAK, and the SH2 domain of GRB2. The encoded protein is a member of the FAK subfamily of protein tyrosine kinases but lacks significant sequence similarity to kinases from other subfamilies. Four transcript variants encoding two different isoforms have been found for this gene.
Molecular Mass	115.7 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence

MSGVSEPLSRVKLGTLLRPEGPAEPMVVVPVDVEKEDVRILKVCFYNSNFNPGKNF
 KLVKCTVQTEIREIITSILLSGRIGNIRLAECYGLRLKHKMSDEIHWLHPQMTVGEVQ
 DKYECLHVEAEWRYDLQIRYLPEDFMESLKEDRTTLLYFYQQLRNDYMQRYASKVS
 EGMALQLGCLELRRFFKDMPHNALDKKSNFELLEKEVGDLDFFPKQMQUENLKPKQF
 RKMIQQTFFQYASLREEECVMKFFNTLAGFANIDQETYRCELIQGWNITVDLVIGPK
 GIRQLTSQDAKPTCLAEFKQIRSIRCLPLEEGQAVLQLGIEGAPQALSITSSSLAEAN
 MADLIDGYCRLQGEHQGSLIHPRKDGEKRNSLPQIPMLNLEARRSHLSESCSIESDI
 YAEIPDETLRRPGGPQYGIAREDVVLNRILGEGFFGEVYEGVYTNHKGEKINVAVKT
 CKKDCTLDNKEKFMSEAVIMKNLDHPIVVKLIGIIEEPTWIIMELYLYGELGHYLERN
 KNSLKVLTLVLYSLQICKAMAYLESINCVHRDIAVRNILVASPECVKLGDFGLSRYIED
 EDYYKASVTRLPIKWMSPESINFRRFTTASDVWMFAVCMWEILSFGKQPFFWLENK
 DVIGVLEKGDRLPKPDLCPVLYTLMTRCWDYDPSDRPRFTELVCSLSDVYQMEKDI
 AMEQERNARYRTPKILEPTAFQEPPPKPSRPKYRPPPTNLLAPKLQFQVPEGLCA
 SSPTLTSPMEYPSPVNSLHTPPLHRHNVFKRHSRMREEDFIQPSSREEAQQLWEAEK
 VKMRQILDKQQKQMVEDYQWLRQEEKSLDPMVYMNDTSPLTPEKEVGYLEFTGPP
 QKPPRLGAQSIQPTANLDRDLDVYLVNVMELVRVLELKNELCQLPPEGYVVVVKNV
 GLTLRKLIGSVDDLLPSLPSSSRTEIEGTQKLLNKDLAELINKMRLAQQNAVTSLSEEC
 KRQMLTASHTLAVDAKNLLDAVDQAKVLANLAHPPAETRTRPLEQKLISEEDLAANDI
 LDYKDDDDKV

Purity

> 80% as determined by SDS-PAGE and Coomassie blue staining

Stability

Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage

Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration

50 µg/mL as determined by BCA

Storage Buffer

100 mM glycine, 25 mM Tris-HCl, pH 7.3.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


GENE INFORMATION

Gene Name	PTK2B PTK2B protein tyrosine kinase 2 beta [Homo sapiens (human)]
Official Symbol	PTK2B
Synonyms	PTK2B; PTK2B protein tyrosine kinase 2 beta; FAK2, protein tyrosine kinase 2 beta; protein-tyrosine kinase 2-beta; CADTK; CAKB; PTK; PYK2; RAFTK; FADK 2; CAK-beta; protein kinase B; focal adhesion kinase 2; cell adhesion kinase beta; proline-rich tyrosine kinase 2; calcium-dependent tyrosine kinase; related adhesion focal tyrosine kinase; calcium-regulated non-receptor proline-rich tyrosine kinase; PKB; FAK2; FADK2;
Gene ID	2185
mRNA Refseq	NM_173174
Protein Refseq	NP_775266
MIM	601212
UniProt ID	Q14289

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA