

Recombinant Human CD74 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. CD74-1892H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	CD74 MS Standard C13 and N15-labeled recombinant protein (NP_001020330) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	The protein encoded by this gene associates with class II major histocompatibility complex (MHC) and is an important chaperone that regulates antigen presentation for immune response. It also serves as cell surface receptor for the cytokine macrophage migration inhibitory factor (MIF) which, when bound to the encoded protein, initiates survival pathways and cell proliferation. This protein also interacts with amyloid precursor protein (APP) and suppresses the production of amyloid beta (Abeta). Multiple alternatively spliced transcript variants encoding different isoforms have been identified.
Molecular Mass	33.3 kDa
AA Sequence	MHRRRSRSCREDQKPVMDDQRD LISNNEQLPMLGRRPGAPESKCSR GALYTGFSLVTL LLAGQATTAYFLYQQQGR LDKLTVTSQNLQLENLRMKLPKPPKPVSKMRMATPLLMQALPMGALPQGPMQNATKYGNMTE DHVMHLLQNADPLKVYPPLKGSFPENLRHLKNTMETIDWKVFESWMHHWLLFEMSRHSLEQKPTDAPPKVLT KCQEEVSHIPAVHPGSFRPKCDENGNYLPLQCYGSIGYCWCVFPNGTEVPNTRSRGHHNCSESLEL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	EDPSSGLGVTKQDLGPVPMTRTRPLEQKLISEEDLAANDILDYKDDDDKV
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.
Storage	Store at -80 centigrade. Avoid repeated freeze-thaw cycles.
Concentration	50 µg/mL as determined by BCA
Storage Buffer	100 mM glycine, 25 mM Tris-HCl, pH 7.3.
GENE INFORMATION	
Gene Name	CD74 CD74 molecule [Homo sapiens (human)]
Official Symbol	CD74
Synonyms	CD74; CD74 molecule, major histocompatibility complex, class II invariant chain; CD74 antigen (invariant polypeptide of major histocompatibility complex, class II antigen associated), DHLAG; HLA class II histocompatibility antigen gamma chain; gamma chain of class II antigens; HLA DR gamma; Ia associated invariant chain; MHC HLA DR gamma chain; p33; HLA-DR-gamma; MHC HLA-DR gamma chain; Ia-associated invariant chain; HLA-DR antigens-associated invariant chain; CD74 antigen (invariant polypeptide of major histocompatibility complex, class II antigen-associated); II; DHLAG; HLADG; Ia-GAMMA; FLJ98970;
Gene ID	972
mRNA Refseq	NM_001025159

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq NP_001020330

MIM 142790

UniProt ID P04233

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA