

Recombinant Human PTPN1 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. PTPN1-1914H Lot. No. (See product label)

SPECIFICATION

Product Overview	PTPN1 MS Standard C13 and N15-labeled recombinant protein (NP_002818) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	The protein encoded by this gene is the founding member of the protein tyrosine phosphatase (PTP) family, which was isolated and identified based on its enzymatic activity and amino acid sequence. PTPs catalyze the hydrolysis of the phosphate monoesters specifically on tyrosine residues. Members of the PTP family share a highly conserved catalytic motif, which is essential for the catalytic activity. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP has been shown to act as a negative regulator of insulin signaling by dephosphorylating the phosphotyrosine residues of insulin receptor kinase. This PTP was also reported to dephosphorylate epidermal growth factor receptor kinase, as well as JAK2 and TYK2 kinases, which implicated the role of this PTP in cell growth control, and cell response to interferon stimulation. Two transcript variants encoding different isoforms have been found for this gene.
Molecular Mass	50 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	MEMEKEFEQIDKSGSWAAIYQDIRHEASDFPCRVAKLPKNKNRNRVSPFDHSR IKLHQEDNDYINASLIKMEEAQRSYILTQGPLPNTCGHFWEMVWEQKSRGVVMLNR VMEKGSCLKCAQYWPQKEEKEMIFEDTNLKLTLISEDIKSYITVRQLELENLTTQETRE ILHFHYTTWPDFGVPESPASFLNFLFKVRESGSLSPEHGPVVVHCSAGIGRSGTFCL ADTCLLLMDKRKDPSSVDIKKVLLEM RKFRMGLIQTADQLRFSYLAVIEGAKFIMGDS SVQDQWKELSHEDLEPPPEHIPPPRPPKRILEPHNGKCREFFPNHQWVKEETQED KDCPIKEEKGSP LNAAPYGIESMSQDTEVRSRVVGGSLRGAQAASPAKGEPSLPEK DEDHALSYWKPFVLNMCVATVLTAGAYLCYRFLFNSNTTRTRPLEQKLISEEDLAAN DILDYKDDDDKV
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.
Storage	Store at -80 centigrade. Avoid repeated freeze-thaw cycles.
Concentration	50 µg/mL as determined by BCA
Storage Buffer	100 mM glycine, 25 mM Tris-HCl, pH 7.3.
GENE INFORMATION	
Gene Name	PTPN1 protein tyrosine phosphatase non-receptor type 1 [Homo sapiens (human)]
Official Symbol	PTPN1
Synonyms	PTPN1; protein tyrosine phosphatase, non-receptor type 1; PTP1B; tyrosine-protein phosphatase non-receptor type 1; protein tyrosine phosphatase 1B; protein-tyrosine phosphatase 1B; protein tyrosine phosphatase, placental;

Gene ID	5770
mRNA Refseq	NM_002827
Protein Refseq	NP_002818
MIM	176885
UniProt ID	P18031
SDS-PAGE	