

Recombinant Human Glucokinase (Hexokinase 4), His-tagged

Cat. No. GCK-196H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human Hexokinase4, fused to His-tag at N-terminus, was expressed in <i>E.coli</i> and purified by using conventional chromatography techniques. MW = 54.3kDa (485aa).
Species	Human
Source	E.coli
Description	Hexokinase is the first enzyme in the glycolytic pathway, catalyzing the transfer of a phosphoryl group from ATP to glucose to form glucose-6-phosphate and ADP. In mammals, four distinct enzymes-types 1 to 4 hexokinases-have been identified. The enzyme is found in most cells, but there is tissue specificity for the particular type of hexokinase. Hexokinase4 is found in the liver and pancreatic beta-cells, where it is controlled by insulin (activation) and glucagon (inhibition). In pancreatic beta-cells, type IV enzyme acts as a glucose sensor to modify insulin secretion. Hexokinase4 is commonly called 'glucokinase'.
Amino Acid Sequence	MGSSHHHHHH SSGLVPRGSH MLDDRAMEA AKKEKVEQIL AEFQLQEEDL KKVMRRMQKE MDRGLRLETH EEASVKMLPT YVRSTPEGSE VGDFLSLDLG GTNFRVMLVK VGEGEEGQWS VKTKHQMYSI PEDAMTGTAEL MFDYISECI SDFLDKHQMK HKKLPLGFTF SFPVRHEDID KGILLNWTGK FKASGAEGNN VVGLLRDAIK RRGDFEMDVV AMVNDTVATM ISCYEDHQC EVGMIVGTGC NACymeEQN VELVEGDEGR MCVNTEWGAF GDSGELDEFL LEYDRLVDES SANPGQQLYE KLIGGKYMGE LVRLVLLRLV DENLLFHGEA SEQLRTRGAF

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

ETRFVSQVES DTGDRKQIYN ILSTLGLRPS TTDCDIVRRA CESVSTRAAH
MCSAGLAGVI NRMRESRSED VMRITVGVDG SVYKLHPSFK ERFHASVRRL
TPSCEITFIE SEEGSGRGAA LVSAVACKKA CMLGQ.

Form	Liquid. In 20 mM Tris-HCl buffer (pH 8.0) containing 10% glycerol.
Purity	> 95% by SDS – PAGE.
Concentration	1 mg/ml (determined by Bradford assay).
Storage	Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

GENE INFORMATION

Gene Name	GCK glucokinase (hexokinase 4) [Homo sapiens]
Synonyms	GCK; glucokinase (hexokinase 4); GK; GLK; HK4; HHF3; HKIV; HXKP; MODY2; Hexokinase type IV; HK IV; Hexokinase-D; EC 2.7.1.2; Hexokinase-4; OTTHUMP00000024521; OTTHUMP00000159308; D-hexose 6-phosphotransferase; Hexokinase type IV; hexokinase D, pancreatic isozyme; maturity onset diabetes of the young 2
Gene ID	2465
mRNA Refseq	NM_000162
Protein Refseq	NP_000153
MIM	138079

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	P35557
Chromosome Location	7p15.3-p15.1
Pathway	Amino sugar and nucleotide sugar metabolism; Galactose metabolism; Glycolysis / Gluconeogenesis; Insulin signaling pathway; Maturity onset diabetes of the young; Metabolic pathways; Starch and sucrose metabolism; Streptomycin biosynthesis; Type II diabetes mellitus; Diabetes pathways; Integration of energy metabolism; Integration of energy metabolism; Metabolism of carbohydrates; Regulation of beta-cell development
Function	ATP binding; glucokinase activity; glucose binding; kinase activity; nucleotide binding; protein binding; transferase activity

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA