

Recombinant Human P2RX3, MYC/DDK-tagged

Cat. No. P2RX3-9164H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human P2RX3 protein, fused to MYC/DDK-tag at C-terminus, was expressed in E.coli. Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Species	Human
Source	HEK293
Description	The product of this gene belongs to the family of purinoceptors for ATP. This receptor functions as a ligand-gated ion channel and may transduce ATP-evoked nociceptor activation. Mouse studies suggest that this receptor is important for peripheral pain responses, and also participates in pathways controlling urinary bladder volume reflexes. It is possible that the development of selective antagonists for this receptor may have a therapeutic potential in pain relief and in the treatment of disorders of urine storage.
Form	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10% glycerol.
Molecular Mass	44.1kDa
Purity	>80% as determined by SDS-PAGE and Coomassie blue staining
Storage	Store at -80C. Avoid repeated freeze-thaw cycles. Stable for at least 3 months from receipt of products under proper storage and handling conditions.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Concentration >50 ug/mL as determined by microplate BCA method

GENE INFORMATION

Gene Name P2RX3 purinergic receptor P2X, ligand-gated ion channel, 3 [Homo sapiens]

Official Symbol P2RX3

Synonyms P2RX3; purinergic receptor P2X, ligand-gated ion channel, 3; P2X purinoceptor 3; P2X3; ATP receptor; purinoceptor P2X3; P2X receptor, subunit 3; purinergic receptor P2X3; MGC129956;

Gene ID 5024

mRNA Refseq NM_002559

Protein Refseq NP_002550

MIM 600843

UniProt ID P56373

Chromosome Location 11q12

Pathway Calcium signaling pathway, organism-specific biosystem; Calcium signaling pathway, conserved biosystem; Neuroactive ligand-receptor interaction, organism-specific biosystem; Neuroactive ligand-receptor interaction, conserved biosystem;

Function ATP binding; extracellular ATP-gated cation channel activity; extracellular ATP-gated cation channel activity; ion channel activity; purinergic nucleotide receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

purinergic nucleotide receptor activity; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA