

Recombinant Human CCNH Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. CCNH-3493H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	CCNH MS Standard C13 and N15-labeled recombinant protein (NP_001230) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance through the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin forms a complex with CDK7 kinase and ring finger protein MAT1. The kinase complex is able to phosphorylate CDK2 and CDC2 kinases, thus functions as a CDK-activating kinase (CAK). This cyclin and its kinase partner are components of TFIIF, as well as RNA polymerase II protein complexes. They participate in two different transcriptional regulation processes, suggesting an important link between basal transcription control and the cell cycle machinery. A pseudogene of this gene is found on chromosome 4. Alternate splicing results in multiple transcript variants.
Molecular Mass	37.6 kDa
AA Sequence	MYHNSSQKRHWTFSSSEQLARLRADANRKFRCCKAVANGKVLPNPVPFLEPHEEMT

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

LCKYYEKRLLEFCSVFKPAMPRSVGTACMYFKRFYLNNSVMEYHPRIIMLTCAFLA
CKVDEFNVSSPQFVGNLRESPLGQEKALEQILEYELLLIQQLNFHLIVHNPYRPFEGF
LIDLKTRYPILENPEILRKTADDFLNRIALTDAYLLYTPSQIALTAILSSASRAGITMESYL
SESLMLKENRTCLSQLLDIMKSMRNLVKKYEPPEPRSEEVAVLKQKLERCHSAELALNV
ITKKRKGYYEDDDYVSKKSKHEEEEWTDDDLVESLTRTRPLEQKLISEEDLAANDILDY
KDDDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name CCNH cyclin H [Homo sapiens (human)]

Official Symbol CCNH

Synonyms CCNH; cyclin H; cyclin-H; CAK complex subunit; CDK activating kinase complex subunit; cyclin dependent kinase activating kinase complex subunit; MO15 associated protein; p34; p37; MO15-associated protein; CDK-activating kinase complex subunit; cyclin-dependent kinase-activating kinase complex subunit; CAK;

Gene ID 902

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_001239](#)

Protein Refseq [NP_001230](#)

MIM [601953](#)

UniProt ID [P51946](#)

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA