

Recombinant Human MED18 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. MED18-3848H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	MED18 MS Standard C13 and N15-labeled recombinant protein (NP_001120822) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	MED18 is a component of the Mediator complex, which is a coactivator for DNA-binding factors that activate transcription via RNA polymerase II.
Molecular Mass	23.7 kDa
AA Sequence	MEAPPVTMMPVTGGTINMMEYLLQGSVLDHSLES LIHRLRGLCDNM EPETFLDHEM VFLLKGQQASPFVLRARRSMDRAGAPWHLRYLGQPEMGDKNRHALVRNCVDIATS ENLTDFLMEMGFRMDHEFVAKGHLFRKGIMKIMVYKIFRILVPGNTDSTEALSLSYLV ELSVVAPAGQDMVSDDMKNFAEQLKPLVHLEKIDPKRLMTRTRPLEQKLISEEDLAA NDILDYKDDDDKV
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.
Storage	Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name MED18 mediator complex subunit 18 [Homo sapiens (human)]

Official Symbol MED18

Synonyms MED18; mediator complex subunit 18; mediator of RNA polymerase II transcription, subunit 18 homolog (S. cerevisiae); mediator of RNA polymerase II transcription subunit 18; FLJ20045; p28b; TRAP/mediator complex subunit p28b; mediator of RNA polymerase II transcription, subunit 18 homolog;

Gene ID 54797

mRNA Refseq NM_001127350

Protein Refseq NP_001120822


MIM 612384

UniProt ID Q9BUE0

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA