

Recombinant Human SMAD2 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. SMAD2-4039H Lot. No. (See product label)

SPECIFICATION

Product Overview

SMAD2 MS Standard C13 and N15-labeled recombinant protein (NP_001003652) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.

Species

Human

Source

HEK293

Description

The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the C. elegans gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein mediates the signal of the transforming growth factor (TGF)-beta, and thus regulates multiple cellular processes, such as cell proliferation, apoptosis, and differentiation. This protein is recruited to the TGF-beta receptors through its interaction with the SMAD anchor for receptor activation (SARA) protein. In response to TGF-beta signal, this protein is phosphorylated by the TGF-beta receptors. The phosphorylation induces the dissociation of this protein with SARA and the association with the family member SMAD4. The association with SMAD4 is important for the translocation of this protein into the nucleus, where it binds to target promoters and forms a transcription repressor complex with other cofactors. This protein can also be phosphorylated by activin type 1 receptor kinase, and mediates the signal from the activin. Alternatively spliced transcript variants have been observed for this gene.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	52.3 kDa
AA Sequence	MSSILPFTPPVVKRLLGWKKSAGGSGGAGGGEQNGQEEKWCEKAVKSLVKKLKKKT GRLELEKAITQNCNTKCVTIPSTCSEIWGLSTPNTIDQWDTTGLYSFSEQTRSLDG RLQVSHRKGLPHVIYCRLWRWPDHLHSHHELKAIENCEYAFNLKKDEVCVNPHYHYQR VETPVLPPVLVPRHTEILTELPPLDDYTHSIPENTNFPAGIEPQSNYIPETPPPGYISED GETSDQQLNQSMGTGSPAELSPTTLSPVNHSLDLQPVTYSEPAFWCSIAYYELNQNR VGETFHASQPSLTVDGFTDPSNSERFCLGLLSNVNRNATVEMTRRHIGRGVRLYYIG GEVFAECLSDSAIFVQSPNCNQRYGWHPATVCKIPPGCNLKIFNNQEFAALLAQSVN QGFEAVYQLTRMCTIRMSFVKGWGAEYRRQTVTSTPCWIELHLNGLPLQWLDKVLV QMGSPSVRCSSMSTRTRPLEQKLISEEDLAANDILDYKDDDDKV
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.
Storage	Store at -80 centigrade. Avoid repeated freeze-thaw cycles.
Concentration	50 µg/mL as determined by BCA
Storage Buffer	100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name	SMAD2 SMAD family member 2 [Homo sapiens (human)]
Official Symbol	SMAD2
Synonyms	SMAD2; SMAD family member 2; MAD, mothers against decapentaplegic homolog 2 (Drosophila), MADH2, SMAD, mothers against DPP homolog 2 (Drosophila); mothers

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

against decapentaplegic homolog 2; JV18 1; MADR2; MAD homolog 2; mother
 against DPP homolog 2; Sma- and Mad-related protein 2; SMAD, mothers against
 DPP homolog 2; JV18; MADH2; JV18-1; hMAD-2; hSMAD2; MGC22139; MGC34440;

Gene ID [4087](#)

mRNA Refseq [NM_001003652](#)

Protein Refseq [NP_001003652](#)

MIM [601366](#)

UniProt ID [Q15796](#)

SDS-PAGE

