

Recombinant Human CYP17A1 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. CYP17A1-4348H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	CYP17A1 MS Standard C13 and N15-labeled recombinant protein (NP_000093) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum. It has both 17 α -hydroxylase and 17,20-lyase activities and is a key enzyme in the steroidogenic pathway that produces progesterones, mineralocorticoids, glucocorticoids, androgens, and estrogens. Mutations in this gene are associated with isolated steroid-17 α -hydroxylase deficiency, 17 α -hydroxylase/17,20-lyase deficiency, pseudohermaphroditism, and adrenal hyperplasia.
Molecular Mass	57.2 kDa
AA Sequence	MWELVALLLLTLAYLFWPKRRCPGAKYPKSLLSLPLVGSLPFLPRHGHMHNNFFKLQ KKYGPIYSVRMGTKTTVIVGHHQLAKEVLIKKGKDFSGRPQMATLDIASNNRKGI AFA DSGAHWQLHRRLAMATFALFKDGDQKLEKIICQEISTLCDMLATHNGQSIDISFPVFV AVTNVISLICFNTSYKNGDPELNVIQNYNEGIIDNLSKDSLVDLVPWLKIFPNKTLEKLK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SHVKIRNDLLNKILENYKEKFRSDSITNMLDTLMQAKMNSDNGNAGPDQDSELLSDN
HILTTIGDIFGAGVETTTSVVKWTLAFLHNPQVKKLYEEIDQNVGFSRTPTISDRNR
LLLLLEATIREVLRLRPVAPMLIPHKANVDSSIGFAVDKGTEVIINLWALHHNEKEWHQ
PDQFMPPERFLNPAGTQLISPSVSYLPFGAGPRSCIGEILARQELFLIMAWLLQRFDL
VPDDGQLPSLEGIPKVVFLIDSFVKVQAWREAQAEGSTTRTRPLEQKLISEEDL
AANDILDYKDDDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name CYP17A1 cytochrome P450 family 17 subfamily A member 1 [Homo sapiens (human)]

Official Symbol CYP17A1

Synonyms CYP17A1; cytochrome P450, family 17, subfamily A, polypeptide 1; CYP17, cytochrome P450, subfamily XVII (steroid 17 alpha hydroxylase), adrenal hyperplasia; steroid 17-alpha-hydroxylase/17,20 lyase; CPT7; P450C17; S17AH; Steroid 17 alpha monooxygenase; CYPXVII; cytochrome P450c17; cytochrome P450-C17; cytochrome P450 17A1; cytochrome p450 XVIIA1; steroid 17-alpha-monooxygenase; cytochrome P450, subfamily XVII (steroid 17-alpha-hydroxylase), adrenal

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

hyperplasia; CYP17;

Gene ID 1586


mRNA Refseq NM_000102

Protein Refseq NP_000093

MIM 609300

UniProt ID P05093

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA