

Recombinant Human PTK2 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. PTK2-4821H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	PTK2 MS Standard C13 and N15-labeled recombinant protein (NP_005598) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	This gene encodes a cytoplasmic protein tyrosine kinase which is found concentrated in the focal adhesions that form between cells growing in the presence of extracellular matrix constituents. The encoded protein is a member of the FAK subfamily of protein tyrosine kinases but lacks significant sequence similarity to kinases from other subfamilies. Activation of this gene may be an important early step in cell growth and intracellular signal transduction pathways triggered in response to certain neural peptides or to cell interactions with the extracellular matrix. Several transcript variants encoding different isoforms have been found for this gene.
Molecular Mass	121.5 kDa
AA Sequence	MISADCNLCLPEYDRYLASSKIMAAAYLDPNLNHTPNSSTKTHLGTGMERSPGAME RVLKVFHYFESNSEPTTWASIIRHGDATDVRGIIQKIVDSHKVKHVACYGFRLSHLRS EEVHWLHVDMGVSSVREKYELAHPPEEWKYELRIRYLPKGFLNQFTEDKPTLNFFY QQVKSDYMLEIADQVDQEIALKLGCLAIRRSYWEMRGNALEKKSNEYEVLEKDVGLK RFFPKSLLDVSKAKTLRKLIIQQTFRQFANLNREESILKFFEILSPVYRFDKECFKCALG

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SSWIISVELAIGPEEGISYLTDKGCNPTHLADFTQVQTIQYSNSEDKDRKGMLQLKIA
GAPEPLTVTAPSLTIAENMADLIDGYCRLVNGTSQSFIIRPQKEGERALPSIPKLANSE
KQGMRTHAVSVSETDDYAEIIDEEDTYTMPSTRDYEIQRERIELGRCIGEGQFGDVH
QGIYMSPENPALAVAIKTCKNCTSDSVREKFLQEALTMRQFDHPHIVKLIGVITENPV
WIIMELCTLGELRSFLQVRKYSLDLASLILYAYQLSTALAYLESKRFBVHRDIAARNVLV
SSNDCVKLGDFGLSRYMEDSTYYKASKGKLPKWMAPESINFRRFTSASDVWMFGV
CMWEILMHGVKPFQGVKNNDVIGRIENGERLPMPPNCPPTLYSLMTKCWAYDPSR
RPRFTELKAQLSTILEEEKAQQEERMESRRQATVSWDSGGSDEAPPKPSRPGY
PSPRSSEGFYPSPQHMVQTNHYQVSGYPGSHGITAMAGSIYPGQASLLDQTD SWN
HRPQEIAMWQPNVEDSTVLDLRGIGQVLPHTLMEERLIRQQQEMEEDQRWLEKEE
RFLKPDVRLSRGSIDREDGSLQGPIGNQHIYQPVGKPDPAAPPKKPPRPGAPGHLG
SLASLSSPADSYNEGVKLQPQEISPPPTANLDRSNDKVYENV TGLVKAVIEMSSKIQP
APPEEYVPMVKEVGLALRTLATVDETIPLLPASTHREIEMAQKLLNSDLGELINKMKL
AQQYVMTSLQQEYKKQMLTAAHALAVDAKNLLDVIDQARLKMLGQTRPHTRTRPLE
QKLISEEDLAANDILDYKDDDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name PTK2 PTK2 protein tyrosine kinase 2 [Homo sapiens (human)]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	PTK2
Synonyms	PTK2; PTK2 protein tyrosine kinase 2; focal adhesion kinase 1; FADK; FAK; FAK1; PPP1R71; protein phosphatase 1; regulatory subunit 71; FADK 1; FAK-related non-kinase polypeptide; focal adhesion kinase-related nonkinase; protein phosphatase 1 regulatory subunit 71; protein phosphatase 1, regulatory subunit 71; FRNK; p125FAK; pp125FAK;
Gene ID	5747
mRNA Refseq	NM_005607
Protein Refseq	NP_005598
MIM	600758
UniProt ID	Q05397
SDS-PAGE	