

Recombinant Human LIMK2 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. LIMK2-5545H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	LIMK2 MS Standard C13 and N15-labeled recombinant protein (NP_057952) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	There are approximately 40 known eukaryotic LIM proteins, so named for the LIM domains they contain. LIM domains are highly conserved cysteine-rich structures containing 2 zinc fingers. Although zinc fingers usually function by binding to DNA or RNA, the LIM motif probably mediates protein-protein interactions. LIM kinase-1 and LIM kinase-2 belong to a small subfamily with a unique combination of 2 N-terminal LIM motifs and a C-terminal protein kinase domain. The protein encoded by this gene is phosphorylated and activated by ROCK, a downstream effector of Rho, and the encoded protein, in turn, phosphorylates cofilin, inhibiting its actin-depolymerizing activity. It is thought that this pathway contributes to Rho-induced reorganization of the actin cytoskeleton. At least three transcript variants encoding different isoforms have been found for this gene.
Molecular Mass	69.7 kDa
AA Sequence	MGSYLSVPAYFTSRDLFRCSQCDSL TNWYYEKDGKLYCPKDYWGKFGEFCHGCS LLMTGPFMVAGEFKYHPECFACMSCKVIIEDGDAYALVQHATLYCGKCHNEVVLAP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MFERLSTESVQEQLPYSVTLISMPATTEGRRGFSVSVESACSNYATTVQVKEVNRM
 HISPNNRNAIHPGDRILEINGTPVRTLRVEEVEDAISQTSQTLQLLIEHDPVSQRDLQ
 RLEARLAPHMQNAGHPHALSTLDTKENLEGTLRRRSLRRSNSISKSPGPSSPKEPLL
 FSRDISRSESLRCSSSYSQQIFRPCDLIHGEVLGKGFFGQAIKVTHKATGKVMVMKE
 LIRCDEETQKTFLTEVKVMRSLDHPNVLKFIGVLYKDKKLNLLTEYIEGGTLKDFLRSM
 DPFPWQQKVRFAGKIASGMAYLHSMCIHRDLNSHNCLIKLDKTVVADFGLSRLIVE
 ERKRAPMEKATTKKRTLKNDRKKRYTVVGNPYWMAPEMLNGKSYDETVDIFSFGI
 VLCEIIGQVYADPDCLPRTLDFGLNVKLFWEKFPVPTDCPPAFFPLAAICCRLEPESRP
 AFSKLEDSFEALSLYLGEGLIPLPAELEELDHTVSMQYGLTRDSPPTTRTRPLEQKLIS
 EEDLAANDILDYKDDDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name LIMK2 LIM domain kinase 2 [Homo sapiens (human)]

Official Symbol LIMK2

Synonyms LIMK2; LIM domain kinase 2; LIM domain kinase 2; EC 2.7.11.1

Gene ID 3985

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_016733](#)

Protein Refseq [NP_057952](#)

MIM [601988](#)

UniProt ID [P53671](#)

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA