

Recombinant Human NDUFA7 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. NDUFA7-6419H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	NDUFA7 MS Standard C13 and N15-labeled recombinant protein (NP_004992) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	This gene encodes a subunit of NADH:ubiquinone oxidoreductase (complex I), which is a multiprotein complex located in the inner mitochondrial membrane. Complex I functions in the transfer of electrons from NADH to the respiratory chain.
Molecular Mass	12.6 kDa
AA Sequence	MASATRLIQRLRNWASGHDLQGKLQLRYQEISKRTQPPPKLPVGPSHKLSNNYYCT RDGRRESVPPSIIMSSQKALVSGKPAESSAVAATEKKAVTPAPPIKRWELSSDQPYL TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.
Storage	Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Concentration	50 µg/mL as determined by BCA
Storage Buffer	100 mM glycine, 25 mM Tris-HCl, pH 7.3.
GENE INFORMATION	
Gene Name	NDUFA7 NADH:ubiquinone oxidoreductase subunit A7 [Homo sapiens (human)]
Official Symbol	NDUFA7
Synonyms	NDUFA7; NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 7, 14.5kDa; NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 7 (14.5kD, B14.5a); NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7; B14.5a; complex I B14.5a subunit; CI-B14.5a; NADH-ubiquinone oxidoreductase subunit B14.5a;
Gene ID	4701
mRNA Refseq	NM_005001
Protein Refseq	NP_004992
MIM	602139
UniProt ID	O95182

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA