

Active Recombinant Human SRF, His-tagged

Cat. No. SRF-102H Lot. No. (See product label)

SPECIFICATION

Product Overview	The recombinant Human SRF, His-tagged was expressed in baculovirus system and purified by affinity chromatography in combination with FPLC columns.
Species	Human
Source	Insect Cells
Description	This gene encodes a ubiquitous nuclear protein that stimulates both cell proliferation and differentiation. It is a member of the MADS (MCM1, Agamous, Deficiens, and SRF) box superfamily of transcription factors. This protein binds to the serum response element (SRE) in the promoter region of target genes. This protein regulates the activity of many immediate-early genes, for example c-fos, and thereby participates in cell cycle regulation, apoptosis, cell growth, and cell differentiation. This gene is the downstream target of many pathways; for example, the mitogen-activated protein kinase pathway (MAPK) that acts through the ternary complex factors (TCFs).
Form	The protein is in 20mM Tris-HCl pH7.9, 100mM NaCl, 0.2mM EDTA, 1mM DTT and 20% glycerol.
Bio-activity	1 unit equals 1 nanogram of purified protein. 100 units are sufficient for a protein-protein interaction assay.
Molecular Mass	53.3 kDa.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence

MLPTQAGAAA ALGRGSALGG SLNRTPTGRP GGGGGTRGAN GGRVPGNGAG
 LGPGRLEREA AAAAATTPAP TAGALYSGSE GDSESGEEEE LGAERRGLKR
 SLSEMEIGMV VGGPEASAAA TGGYGPVSGA VSGAKPGKKT RGRVKIKMEF
 IDNKLRRYTT FSKRKTGIMK KAYELSTLTG TQVLLLVASE TGHVYTFATR
 KLQPMITSET GKALIQTCLN SPDSPPRSDP TTDQRMSATG FEETDLTYQV
 SESDSSGETK DTLKPAFTVT NLPGTTSTIQ TAPSTSTTMQ VSSGPSFPIT
 NYLAPVSASV SPSAVSSANG TVLKSTGSGP VSSGGLMQLP TSFTLMPGGA
 VAQQVPVQAI QVHQAPQQAS PSRDSSTDLT QTSSSGTVTL PATIMTSSVP
 TTVGGHMMYP SPHAVMYAPT SGLGDGSLTV LNAFSQAPST MQVSHSQVQE
 PGGVPQVFLT ASSGTVQIPV SAVQLHQMAV IGQQAGSSSN LTELQVVNLD
 TAHSTKSE

Purity

Greater than 90% as determined by SDS-PAGE.

Applications

This protein has been applied in protein-DNA and protein-protein interaction assays.

Storage

Stored at -70°C before use. Avoid repeated freeze thaw cycles.

GENE INFORMATION
Gene Name

SRF serum response factor (c-fos serum response element-binding transcription factor) [Homo sapiens]

Official Symbol

SRF

Synonyms

SRF; serum response factor (c-fos serum response element-binding transcription factor); serum response factor; MCM1;

Gene ID

6722

mRNA Refseq

NM_003131

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_000537
MIM	191170
UniProt ID	P04637
Chromosome Location	17p13.1
Pathway	Activation of BH3-only proteins, organism-specific biosystem; Activation of NOXA and translocation to mitochondria, organism-specific biosystem; Activation of PUMA and translocation to mitochondria, organism-specific biosystem; Amyotrophic lateral sclerosis (ALS), organism-specific biosystem; Amyotrophic lateral sclerosis (ALS), conserved biosystem; Androgen Receptor Signaling Pathway, organism-specific biosystem; Apoptosis, organism-specific biosystem;
Function	ATP binding; DNA binding; DNA strand annealing activity; MDM2 binding; RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of transcription; RNA polymerase II transcription factor binding; chaperone binding; chromatin binding; copper ion binding; damaged DNA binding; enzyme binding; histone acetyltransferase binding; histone deacetylase regulator activity; identical protein binding; metal ion binding; p53 binding; protease binding; protein N-terminus binding; protein binding; protein heterodimerization activity; protein kinase binding; protein phosphatase 2A binding; sequence-specific DNA binding transcription factor activity; transcription factor binding; transcription regulatory region DNA binding; ubiquitin protein ligase binding; zinc ion binding;